



Digitized by the Internet Archive in 2014

https://archive.org/details/brocktonareatran14oldc





Teo 1

Deposition Area market arrow

101.28 /20

ANALYSIS OF PUET IND POESENT STATES

Old Gallery (Verylay Louise)


bream Transportation Trains Canoc June, Line



Brockton Area Transit Study


Technical Memorandum #1

ANALYSIS OF PAST AND PRESENT SERVICE



Analysis of Past and Present Service


Table of Contents												Pa	ige
Introduction	•	•	•	٠	•	•	•	•	•	•	•	•	1
Socio-Economic Data		•	•	•	•	•	•	•	•	•	•		2
Present Operations													
Rolling Stock .	•		•	•	•	•	•	•	•	•	•	. 1	.1
Support Equipment		•	•	•	•	•	•	٠	•	•	•	. 1	.5
Present Fare Structure	•	•	•	•	•	•	•	•	•	•		. 1	.7
Labor Costs	•	•	•	•	•	•	•	•	•	•	•	. 1	۲7
Present Routing .	•	•	•	•	•	•	•	•	•	•	•	. 1	L7
Dependability		•		•	•	•	•	•		•			20
Previous Promotional P	rogra	ams											210



Introduction

This first technical memorandum documents much of the initial data collected as part of the Brockton Area Transit Study, however, it does not present data collected as part of the surveys. For example, ridership statistics are found in Technical Memorandum No. 2 and financial statistics can be found in Technical Memorandum No. 3.

The purpose of this document is to present the data collected and developed other than through the surveys conducted.



It is a well-known fact that the demand for bus service is directly related to a variety of population/socio-economic characteristics. Many of the variables that can be analyzed to determine the need for bus service are available through the Bureau of the Census-published information. This data was collected during the 1970 Census. Table 1 shows a comparison of 1970 Census population statistics by town and the estimated 1974 population. As part of this effort, it was concluded that the growth between 1970 and 1974 was not so significant as to disqualify the utilization of the more specific 1970 Census information.

The region, in effect, has two traffic zone systems. The first set of zones were utilized in the development of Census Journey-to-Work data by the Massachusetts Department of Public Works. The second set of zones are referred to as the Basic Analysis Zones (BAZ) and were developed by the Old Colony Planning Region as part of its comprehensive transportation planning effort. In effect, the BAZ's are subdivisions of the "Journey-to-Work" zones. The socio-economic data which appears in Appendix 1 (data by Journey-to-Work zone) and Appendix 2 (socio-economic statistics) were developed the Journey-to-Work zones in that much of the socio-economic data desired for the analysis was not available at a detailed BAZ level, but did exist at the Journey-to-Work zone level. On the other hand, all of the trip information collected as part of the surveys was coded to the BAZ system. That data will therefore be aggregated to the Journey-to-Work zone system. In that future transportation planning in the region will be conducted at the BAZ level, the survey data already meets the requirements.

The socio-economic data developed at the Journey-to-Work level and found in the appendices includes total population, population over 65 (i.e., elderly), all developed on a per square mile basis, and median income, and number of families below the 1970 poverty level. In addition, employment statistics by Journey-to-Work zone which are found in Appendix 3, and employment per square mile were made




Table 1
Population in 1970 and 1974

	1970	1974
Abington	12349	14276
Avon	5280	5473
Bridgewater	11829	15921
Brockton	89040	98640
East Bridgewater	8347	9422
Easton	12157	14879
Hanson	7148	7690
Pembroke	11193	12535
West Bridgewater	7152	7622
Whitman	13018	13859
	177513	200317
Halifax	3468	NA
Stoughton	23429	NA
	204410	

¹ Estimates made using housing permits



available through the Census Journey-to-Work statistics. All of these data will be used to determine the need for improved transit service, not only from the point of view of providing service to the underprivileged such as low income areas and the elderly, but also to determine the need for improving service to these areas with a variety of population concentrations, and further using employment statistics to determine those areas where bus service should be extended for employment opportunities and shopping and personal business needs.



Development of Socio-Economic Statistics

A composite map of the Old Colony Planning Region was prepared from county series maps scaled at 1" = 1/2 mile. The boundaries of the two main zone systems for which data is available (the Journey-to-Work Zones - Jw Zones - and the Basic Analysis Zones - RAZS -) were transferred onto the composite. Overlays displaying socio-economic information available at the Jw Zone and BAZ level and pertinent to the transit study were prepared for socio-economic information available at the town level. Samples of these displays include (by town) population, pop/mi², labor force, 1.f./mi², autos, autos/1000 pop., pop. over 65. pop. over 65/1000 pop., minority pop., and minority pop./1000 pop.

To develop displays similar to the aforementioned but at the JW Zone and BAZ level, it was necessary to compute the square mile areas of the BAZ's.

Since the JW Zones are aggregations of BAZ s, BAZ areas could then be aggregated to yield square mile totals for the JW Zones.

Procedure for Calculating Zone Areas

Initial area calculations were made using translucent graph paper (10 blocks = 1 inch therefore there are 100 square blocks to the square inch). By laying the graph paper over the zone, the number of blocks in the zone was determined. Estimations were made when adding portions of blocks, hence the possibility of human error. Subsequently, conversion factors of blocks² to square miles was determined.

1 inch = 1/2 mile . . 4 inch² = 1 mile² 100 blocks² = 1 inch² . . . 400 blocks² = 1 mile²

A more accurate drafting method using a set of aerographs was used once the aerographs were located for use. A set of aerographs contains three trans-



parencies at three different scales. The graphs are 14" by 11" transparencies covered with rectangles containing ten dots each. Within the rectangles the dots are spaced at random. Similar in procedure to the square method, the transparency is overlaid on the zone and the number of dots within the zone is counted. For the overlay scale for Old Colony, the number of dots divided by 100 yielded the zone area in square inches. This was easily convertible to square miles. This scale is guaranteed 97% accurate for all zones greater than 12 square inches.

Since nearly all the BAZ areas calculated were less than 12 square inches, the degree of accuracy was reduced. As a check, BAZ areas were aggregated to the town level to compare with known town areas. On the twelve towns calculated (3 by squares method and 9 by aerograph), seven were within 2% of the town total, hence 98% accurate. The areas of the BAZ's in the five remaining towns were adjusted to yield aggregated areas within 2% of the town totals.

Procedure for Adjusting BAZ Areas

The percent error was calculated by dividing the "aggregated BAZ town total" by the "known town total". For those percentages outside the 2% limit, all individual BAZ areas were multiplied by the percent of error. This produced new town totals within 1.1% of the known area.

The BAZ areas in Brockton were checked at a later time using a planimeter.

The areographs proved accurate within .01 square miles in nearly all cases.

Necessary corrections in the reported data were made.

Census Data

The only statistical method of assigning information to the BAZ level without prorating information from a larger scaled zone system is to aggregate data available at block level in the Brockton, Mass. Urbanized Area Block Statistics.




This was successful for those torms for which block data is available except in Brockton. A problem was realized when it was discovered that while the Brockton town totals were correct for population and housing, the census tract totals and block totals were incorrect. Unfortunately the corrections list only indicates data corrections at the census tract level. Block data had to be prorated prior to being aggregated to the BAZ level.

In tract 5117, however, even the block data was obviously incorrect due to the number of blocks reporting zero population. To allow aggregation to the BAZ populations, the following procedure was used. The number of dwelling units per BAZ was calculated from the 1970 City Street Directory for Brockton. The corrected Tract population minus those living at the VA Hospital in April 1970) was used to determine the number of persons per dwelling unit. This factor was applied to the BAZ deelling unit totals to yield estimated population per BAZ. The 950 residents of the VA Hospital were assigned to the appropriate BAZ (Number 53)

Brockton Statistical Correction Factors

Statistical factors were calculated to prorate the block data. These factors were ratios obtained by dividing the correct statistic count by the incorrect data count at the tract level. As indicated, there are different correction factors for population counts than for housing units.

Brockton BAZ statistics were calculated by identifying which blocks comprise which zones, adding up the incorrect Census data for each block contained in the BAZ, and prorating this total number using the appropriate factor. Since BAZ's




are subdissions of L-raw tracks, only one factor was applicable to any one SAM.

(previously compiled find the land form the Socio-Economic Data Form (previously compiled find the 1200 form) and provided the JW Zone level) to the BAUS statistics for the Land to the L

Statistical categories included mirority population, population over 65, median income, and number of lamilies whose total income was less than \$6000. Also, statistical counts of families owning one, two, three or more, or no autos was expanded to yield total numbers of autos owned. To do this, it was necessary to apply a factor representative of the average number of autos owned in the "three or more" category. By using actual statistics from the BATS Home Interview Survey, it was determined that the factor used should be 3.2. Thirty families interviewed owned three or more autos; twenty-five families owned exactly three autos - total of 75 autos. Three families owned four autos - total of 12 autos. Two families owned five autos - total of ten autos. The grand total was 97 autos owned by thirty families or an average of 3.2 cars per family.

The next step was to sum arize the B.Z population totals to the JW Zone level to compare with the JW population statistics. Except in Brockton, the tables were quite close to being exact. Brockton JW Zone totals varied quite a bit in some dated, ho ever. The ratio of the "aggregated BAZ population total to the "" Zone total" was calculated. This ratio factor was then applied to the data in the JW cathories to improve the quality of the JW data. The factors was in the machine of the Laborated The only category not prorated was, of tourne, the redistribute for the zene which should be the same



regardless of variations in the property on totals. This adjusted JW data was then aggregated to the town level.

Housing

In addition to quantifying and analyzing the Census population and housing data, the staff put together detailed data for elderly, veterans, and low and moderate income housing. This information is found in Table 2, and has been plotted on the land use maps developed for analysis.





Table 2

ELDERLY, VETERANS, AND LOW & MODERATE INCOME HOUSING

Abington


No.	Name		Туре	# Units	Comments
AB1 AB2 AB3	Lincoln Boulevard Shaw Avenue Shaw Avenue		Elderly Elderly Low	40 80 10	Proposed Proposed
		Avon			
AV1 ·	Fellowship Circle		Elderly & Handicapped	90	
		Bridg	ewater		
В1	Hemlock Drive		Elderly	96	
		Brock	ton	•	•
B1 B2 B3 B4 B5 B6 B7 B8	South Main High Rise Caffrey Towers Belair High Rise Sullivan Towers Kennedy Drive Manning Towers Belair Apartments Rainbow Terrace Golden Circle		Elderly Elderly Elderly Elderly Elderly Elderly Elderly Elderly Elderly	400 318 215 122 120 100 100 64 46	
B10 B11	Crescent Court Hillside Village		L&M L&M	124	
B12 B13	Roosevelt Heights Washburn Heights		Veterans Veterans	124 50	
B14 B15 B16 B17 B18 B19 B20	Battles Farm Village Pine Grove I Pine Grove II Southfield Gardens Chatham West I Chatham West II Salisbury - Grove	Fast F	LaM L&M L&M L&M L&M L&M L&M L&M L&M L&M	320 114 288 200 300 280 150	25% Low - 50% Moderate 25% Low - 75% Moderate 25% Low - 75% Moderate 25% Low - 50% Moderate 25% Low - 47% Moderate Under Construction Proposed - 20% Low
EB1	Vomovial Duive	Last		40	
EB2	Memorial Drive		Elderly Elderly	48 ?	Proposed



ELDERLY, VETERANS, AND LOW & MODERATE INCOME HOUSING (CONT.)

Easton

No.	Name	Type	# Units	Comments
E1 .	Elsie Circle Elsie Circle	Elderly Elderly	64 80	Under Construction
		Hanson		
н	Liberty Street	Elderly	?	
		Pembroke		
P1	School Street Project	Elderly	56	
		West Bridgewater		
WB1	Ester Street Project	Elderly	48	•
		Whitman		
W1 W2	Stetson Terrace Harvard	Elderly Elderly	40 ?	Proposed
		Stoughton		
S1 S2	La Civita Court Veterans	Elderly Veterans	96 26	



PRESENT OPERATIONS




As mentioned earlier, many of the statistics concerning the present operations such as bus ridership, persons per bus mile, financial statistics, will be reported in Technical Memorandum #2 after the surveys have been completed and the analysis performed. The purpose of this section is to document that data collected without performing rather elaborate surveys.

Rolling Stock

Local bus service, that is, service which is primarily within the region, is provided by two transit operations. The largest is that service provided by the Crocker Transit System, Inc. That company operates 11 scheduled bus routes, 10 of which are within the limits of the City of Brockton, and financially supported by the City and State. The 11th route, which is the Brockton to Rockland and Abington route, is operated by Crocker with no financial support. In addition, the company operates short trippers such as two senior citizen runs a day, two senior citizen Saturday shopper runs, and a number of high school and junior high school trippers with Transportation Authority vehicles. Table 3 lists the rolling stock owned by the Transportation Authority and leased to the company for the operation of service financially supported by the City and State through the Brockton Transportation Authority.

A second company providing local transit service is the Interstate Coach Company. This company provides service from Easton to Brockton and Stoughton to Brockton, and is partially financed by the Town of Easton. The rolling stock used by this company may be found in Table 3. As is obvious from reviewing the age of the rolling stock used in providing service, this stock is beyond a reasonable ten to twelve year maximum life. For the service provided by Crocker, with the elimination of the two flexibles recently purchased by the City, the average age of the rolling stock is 16 years, and the average age of the Interstate Coach rolling stock is 11 years. Certainly a number of problems exist with such antiquated equipment. Certainly it is difficult to maintain a high degree of in-service time




because of equipment failures, therefore effecting the dependability of the operation. Further, the equipment is not attractive to the public, and to some extent, therefore, discourages ridership.

Buses owned by the Brockton Transportation Authority and leased to Crocker Transit Systems, Inc.

November 4, 1974 Leased Equipment

	Bus Number	Manufacturer	Year	<u>Model</u>	Serial Number	Number of Seats
	7401 7402	Flxible Flxible	1974 1974	572KE-F74-19 572KE-F74-19	FX-614 FX-622	; 23 23
,	475 476 478 479	GMC GMC GMC GMC	1962 1962 1962 1962	TDH4517 TDH4517 TDH4517 TDH4517	1748 1749 1751 1752	44 44 44 44
d *a		GMC GMC GMC	1955 1955 1955	TDH5105 TDH5105 TDH5105	1290 1297 1298	51 51 51



Interstate Coach Company

The Interstate Coach Company operates service from Stoughton Center to Brockton Center through Westgate Mall and from Easton to Brockton. The Easton to Brockton run is subsidized by the Town of Easton. The company uses a fare box with a meter and records the fares when it crosses the Brockton-Easton town line in each direction. The company uses those passenger counts to bill the Town of Easton.

Interstate Coach uses locked, exact-fare boxes on the Stoughton run.


Garage Facilities

The company garage is located in Stoughton Center and contains eight bus bays. The bus bays are large enough to store one large coach or two 22-seat coaches. The garage is equipped with a repair pit.

Rolling Stock

The company runs only the two local routes previously mentioned. The rolling stock used in the operation is:

Use	No.	Year	. <u>Make</u>	Type	Seats
Easton	1	1972	Carpenter	Gas	. 22
Stoughton	1	1973	GM Transit	Diesel	33
Backup	1	1961	GMC	Diesel	41
Backup	1	1951	GMC	Diesel	45




Designated Bus Stops

The present operation is a 'flag-down' method. That is, a passenger standing at the side of the road waves to the bus and the bus stope and picks up that individual. This type of operation implies a number of problems. First, in busy loc-tions with cars parked along the side of the road, the driver often does not s the as angel. Second, the flag-down type of service encourages individuals to mell- come nearked cars to flag a bus, resulting in safety problems. Third, the everage bus speed is reduced in that the drivers are stopping more often, element this is probably not a significant reason for discontinuing the flag-down system. Fourth, the lack of bus stop signs and bus stop areas does not provide the type of promotion and advertisement that bus stops and benches and shelters provide. That is, designated stops in a sense, is a form of promotion and advertising of bus service. Therefore, it is recommended that the system be converted to a fixed-stop system with bus stops marked with signs, pole markings, painted yellow curbs, and no parking signs in the vacinity of the bus stop. The actual locations of the bus stops must be studies in further detail with respect to tra fic conditions.

Sug Descharing Sign

All of the volices presently owned by the Transportation Authority contain roll-up bus desciration signs for the existing system. The legends are numbered in accordance with the run numbers used by the Crocker Transportation Company. The signs contains and should be purchased with new vehicles.

on case, and a number should be obtained for the unscheduled service that is often orided by the transportation authority.



Bus Service Support Eq ip ent

When constacting the development and improvement of local bus service, it is necessary to give a stailed consideration to that equipment needed to keep the relling story of string efficiently. Through discussions with the Brockton

The constant of local bus service, it is necessary to give a stailed consideration to that equipment needed to keep the relling story of the Brockton

The constant of local bus service, it is necessary to give a stailed consideration to that equipment needed to keep the relling story of the Brockton

The constant of local bus service, it is necessary to give a stailed consideration to that equipment needed to keep the relling story of the Brockton

The constant of the constant of the constant of local bus service, it is necessary to give a stailed consideration to that equipment needed to keep the relling story of the Brockton

The constant of the consta

sance allies

processing the catagories of thorage facility in lessed by crocker for \$1500.

For such an energy is price with an inside cross roof with offices on the front of the facility to be leased by Crocker. The garage itself is 12,800 square feet, and vill acto orace 15 large buses. The garage is used for repairs and cleaning and contains soll vehicle floor lifts. The paved yard adjacent to the garage contains 15,000 square feet and will store 25 large buses. Crocker recently considered purchasing the untire facility for approximately \$300,000.

Mainte mit bruippent

Ele alter


transfer withority bus s about once a month, required

present limit and singuists that the transportation authority consider an approximately \$17,000.

validate and the character of the validate are the characters of the

Du Henuar

to have a second second by the contract of the second second would prefer



of operation. He recommends that the rest of the purchased and install a superscine cely 1000 each.

to turn and a second second of purchasing machinery

BELLE - METALL


The latter estimates that new bises would require an inventory of

neg (Cta

engine plug-in heaters at a cost of \$300. apiece.

Coin Machines

The purchase of a coin-counting and rapping machine would speed up office work and the cost could be approximately \$1,000.



Pres

The same when he was initiated.

The same when boarding. On buses travelling out
the passenger pays 25¢ when leaving

the passenger pays 25¢ when leaving

the same without tickets from the driver (10 tickets

the passenger pays 25¢ when a total

the passenger pays 25¢ when leaving

older, and present age in a larger identification card with the individual's picture on a, and a second age of Prockton.

For the first the trip is made within one town, and

Indust Come

They


are unionized. They


are


Emplain court of


effect as of January 1, 1975 by


Here of January 1, 1975 by












Dependability

As part of the analysis of the present operations, a study was conducted to determine the rate at which the various operators maintained their published schedules. The important point in this investigation is that if public is to utilize the service, the public must be able to depend upon that service. That is, when an individual expect a bus to pick him up at a specific time, and the bus arrives too early or too late, that individual will find another way to travel.

This investigation was conducted at the Main and School Streets intersection where all of the companies providing service in the region.

Table ⁵ shows the bus schedule adherence or dependability by the Crocker Transit Systems, Inc. The data were collected by company bus run. That is, the legend on the front of the bus. For example, at Main and School, the vehicles destined to Montello were summarized for that end of the route. The return trips for that bus, when it reached Main and School, would be destined to Campello and were summarized under Campello.

For the most part, the dependability of service on the day of the survey was rather reasonable. However, there are a number of incidents that should be considered. The Montello run had three cases in which the bus did not make the trip at all. That is, three time periods during which individuals were standing on the corner waiting for a bus that did not show up, and encouraging that group of individuals to find another means of travelling to Montello in the future. In a number of instances, buses left Main and School ahead of schedule, therefore possibly leaving potential riders standing on the corner that would have caught the bus, had it been on schedule. In only one case was the service more than six minutes late in leaving Main and School. Further analysis of the table indicates an average lay-over, that is the average amount of time that a bus waits at Main and School from the time it arrives until the time it leaves, of nine minutes for Ames and an average of 6.5 minutes for all buses. The important



point presented by these statistics is that a person who wishes to continue his trip through the center of Brockton must spend this amount of time sitting on the bus, waiting for the bus to continue its journey. However, when frequencies are lengthy, that is up to 25 minutes of more, it is relatively important that the buses provide an opportunity in the center of town for individuals to transfer without a lengthy wait. That is, if the lay-over time was only a minute or so, and a Montello bus left before a Pleasant Street bus arrived, the Pleasant Street passenger wishing to transfer to Montello would have to wait a lengthy period of time for the next bus. However, if the headways were reduced to ten to fifteen minutes, the buses could make the trip through Main and School with no layover. The transferring rider would not have a lengthy wait until the next bus arrived. On Friday, January 31, 1975, the bus schedule adherence was rechecked from 6:00 AM to 3:00 PM this time, and special effort was made to obtain a count of the number of passengers going through Main and School Streets. These passengers are, in fact, paying a double fare; when they get on, and when they get off. This special count was made to determine the effect of the elimination of the double fare. Table 5A shows the data for Crocker service.

Table 6 shows the schedule dependability for the Interstate Coach Company and the Plymouth and Brockton Street Railway Company. Table 6A shows the data collected on Friday, January 31, 1975 for Interstate Coach and P and B. The MBTA is shown in Table 7.




Table 5

Bus Schedule Dependability Check

November 19, 1974 11:30 AM to 5:30 PM

Actual vs. Schedules Times Leaving Main and School Average Average No. Late Layover Passengers No Show Early On Time 2-5 Min 6-10 Min Time(Min) Route Leaving Stop Montello Campello Crescent Center Belmont Pleasant Ames Perkins Grafton Ashland

¹ Accident affected "No Shows"





Table 5A

Bus Schedule Dependability Check

January 31, 1975 6:00 AM to 3:00 PM

Actual vs. Schedules Times Leaving Main and School Average Number of Late Layover Through No Show Early On Time 2-5 Min 6-10 Min Time(Min) Route Passengers Montello Campello Crescent Center Belmont Pleasant Ames Perkins Grafton Ashland

Rockland



Schedule Dependability

November 19, 1974 1:50 PM to 5:30 PM

	A	ctual v	s. Schedu	led Time	S			
		Leavin	g Main an	d School		Average	Average No.	
Route	No Show	Early	On Time	L 2-5Min	ate 6-10 Min	Layover Time(Min)	Passengers Leaving Stop	
Easton		21	1			13	6	
Belmont	3		-		12			
			2		7	16	2	
Stoughton	•		3			11	11	
P and B								
Boston vi Westgat			4			25 ³		

- 1 One bus 4 minutes early; one bus 15 minutes early
- 2 Buses should have left at 3:00 PM and 3:30 PM. This bus left at 3:15 PM after 15-minute layover.
- 3 38 minutes highest

Table 6A
Schedule Dependability

January 31, 1975 6:00 AM to 3:00 PM

Actual vs. Scheduled Times
Leaving Main and School

Late

Poute No Show Early On Time 2-5Min 6-10 Min

Easton 2

Lolmont 1 3

Loughton 6 1 1

Loughton 6 1 1

Loughton 3 5 1

Nestgate ...

¹ One bus left 7 minutes early.




Table 7

Bus Schedule Check

MBTA Brockton-Ashmont Route Data for 11/12/74

Actual arrival time compared to scheduled arrival time --

at Avon Square (Inbound)


	6 a.m. to Noon	Noon to 8 p.m.
Early .	1	
On time	. 2	
1 to 5 minutes late	4	4
6 to 10 minutes late	1	8
11 to 15 minutes late		3
Bus not on the schedule	<u>3</u> 11	15

at Main and School - Brockton

	6 a.m. to Noon	Noon to 8 p.m.
Early	5	5
On time		2
1 to 5 minutes late		2
6 to 10 minutes late		3
11 to 15 minutes late	∢.	2
Missed	2/7	1 15

MBTA Brockton/Ashmont (Outbound)


	Ea	rly			Late	
No Show	11>	1-10	On Time	2-5	6-10	11>
Arrive at Avon Square						
5:00 AM to Noon	2	6		1		1
Noon to 8:00 PM		7	1			
Leave Main & School		3	19	1	1	



Previous Promotional Programs

Since the present operation was initiated (September, 1973) there has not been a significant amount of promotion.

On one occasion the Chamber of Commerce sponsored a newspaper coupon promotion in conjunction with a downtown sidewalk sale. The rider had the opportunity to remove the coupon from the newspaper for a free ride on the bus. The Transportation Authority paid for the newspaper advertisement and the Chamber of Commerce reimbursed the operator for the coupons. In addition, the Transportation Authority has printed schedules twice. The first time the printing was for 2000 copies of the schedule at a cost of \$300. and the most recent printing, September, 1974, was for 4000 copies at a cost of \$500. In addition, the Transportation Authority has developed a mini-bus service announcement printed by the Authority to describe changes in present service and improvements in service which are mailed to those organizations and agencies which could get the most use from the service.



BROCKTON AREA TRANSIT STUDY - STATISTICS FOR BASIC ANALYSIS ZONES

Town	BAZ/ J to W*	Square Miles	Pop.	Min. Pop.	Over 65	# Autos		# Fam. <\$6,000
· Abington	111	2.11	420			1		
	112	.43	693	1			\$	}
	113	1.20	983					1
	114	.68	107					,
.91	59000*	4.42	2,203	10	132	848	11,441	117
	115	.95	1,183				The same of the sa	
	116	.72	1,840					1
	117	.12	684		memory and an analysis of the second			
1.06	59200*	1.79	3,707	0	366	1,519	10,829	257
	118	.24	0					
	59303*	0.24	0	0	0	0	0	0
	119	.59	1,255					,
	120	.48	708					
1.04	59102*	1.07	1,963	. 0	79	827	11,744	83
	121	.57	1,148					\$ \$
	122	.21	623					1 1
	123	.73	1,614					9 7 5 1
	124	.49	578					ŧ 1
	125	.36	498					1
.98	59101 *	2.36	4,461	0	438	1,679	11,354	263
total	(9.7)	9.88	12,334	10	1,015	1		720
Avor.	001	.19	0					
	002	.67	423					1
	003	.75	409					2
	004	.26	963					1



BROCKTON AREA TRANSIT STUDY - STATISTICS FOR BASIC ANALYSIS ZONES


Town	BAZ/ J to W*	Square Miles	Pop.	Min. Pop.	Over 65	# Autos	Income Median	Fam. <\$6,000
Avon (continued)	005	.00	472					
	006	.62	1,192					,
.98	57501*	2.57	3,459	24	2-4	1,314	10,574	209
•	007	.25	179		and the disputing of the sign partners of the side of			
	008	.46	32	1				
	009	.28	161	1				
	010	.27	546					
	011	:05	79					
	012	.05	118					
	013	.18	596					
	014	.26	125			,		
1.06	57502*	1.80	1,836	40	117	771	13,175	72
total	(4.35)	4.37	5,295	64	361	2,085		281
Bridgewater		2.64	1	,				+
	157	2.33		į				
	158	.95						
	159	2.40						
	60403*	8.32	1,879	49	104	752	11,441	78
	160	.68		1				
	60402*	0.68	1,927	13	275	691	10,434	218
	161	.48			- Artin, articularitation for the Anthonographic transpose groups,			
	60401*	0.48	1,085	0	128	475	10,074	116
	162	1.74						
	163	.99	1					
	164	3.55						



9000				
Do	it	e		

BROCKTON AREA TRANSIT STUDY - STATISTICS FOR BASIC AMALYTIS TO B

Town	BAZ/ J to W*	Square Miles	Pop.	Min. Pop.	Over 65	# Autos	Income Median	Fam 56,000
Bridgewater	C040/.*	c 00	1 0/0	100	140	702	10 005	1.0
(continued)	60404*	6.28	1,949	109	148	793	12,085	10
	165	.88			,			
1	166 .	3.10	/					
	167	2.24						1
	168	1.79						
	60504*	8.01	2,446	30	133	1,014	10,149	118
TO THE PARTY OF TH	169	.95						
	60503 *	.95	1,020	0	105	394	8,363	93
<	170	2.71						
	60502*	2.71	1,523	59	99	72	10,452	107
. total		27.43	11 329	260	992	4,191		740
Brockton	028	.40	1,000			Į.		
•	0.59	.23	642					
	030	. 1	1465					
1.44	50103*	0.BN	2,104	0	2 62	981	12,067	125
	31	.32	Ğ.					
	032	.35	8					
	033	.16	7 4					
	034	.44	930					
	035	.44	915					
	036	. 37	993					
	037	.18	1,381	•				
	038	.11	1,453					
1.24	58501*	2.37	6,526	128	645	2,569	10,518	625




Town	BAZ/ J to W*	Square Miles	Pop.	Min. Pop.	0ver	# Autos	Income Median	Fam. <\$6,000
Brockton (continued)	039	.60	751					
	040	.38	589					
,62	58402*	0.98	1,340	11	117	505	11,652	79
	041	.70	621					
	042	.24	409					
	043	.09	385		•			
0.61	58302*	1.03	1,415	0	257	645	13,937	94
	044	.21	851				- margin and a state of the sta	
	045	.19	1,360				- ATT AND	
	046	.18	1,527				1	
.93	58303*	0.53	3,738	. 30	533	1,545	12,548	327
	047	.11	21					
	048	.12	1,341					
1.35	58203*	0.23	1,362	0	165	528	10,674	103
	049	.44	1,036					
ep. distances and the second s	050	.16	102					
	051	.17	27					
5.11	58401*	0.77	1,165	0	0	332	15,354	0
	052	.30	759					
63.25	58301	0.30	759	0	0	0	0	0
	053	.51	1,106					
	054	.16	0					
	055	.33	778					
	056	.18	436					
	057	.23	1,707					



BRO - CTON HATT TENISLE CONT - ELATIBITY TO BE LEED A TONISHED BY

Town	BAZ/	es es	001.	Pop.	lv+r	/ Autor	MEL E	am.
Brockton (continued)	0.68	. 28	197					TO STANDARD PLANT AND
	0.9	.15	1,237		All the second of the second o			
19.53	58202*	1.8	5 76.	0	98	1,745	11/634	78
	050	. 12	, 91		e and engagement			
1.07	585 4*	0.12	1,490	9	221	521	;r ;	195
	061	.20	5,018	According to the contract of t		Vertical liquid regularity of the least of t		
	062	9 1	1,702					-
.97	58304*	0.33	4,715	74	6.73	1,569	7,706	749
	063	.13	1,405					,
	064	. 1.5	1,117				1	
	005	. 40	1,379				1)
1.01	5951	11,20	3,701	<u>1</u> 2	6.6	1,198	7.009	586
	Def	.19	-3,210) }	
	001	.00	983					
.96	56-64	.19	4 (197	14	128	1,775	7,905	554
	290	110	J-110					
1.07	Sect (B) (7)		77	177	386	0.007	273
	365	153						consistent in the derivative expension page.
1.02	Short!	1,1		16	1,69	118	4, 100	287
		yli	1,100					-
.85	Same I	0.11		151	713	356	7,5/ 1	328
1	97%	(23	8,9%				-	
.41	56213	.18	2,50	(307	051	107566	244
	072	.17	17974					
.27	58605	.377	1,014	3	72 !	457.)	10,968	96




BROCKTON AREA TRANSIT STUDY - STATISTICS FOR JOURNEY-TO-WORK ZONES

Town	BAZ J to W*	Square Miles	Pop.	Min. Pop.	Uver 65	# Autos	Income Median	Fam. <\$6,000
Brockton (continued)	073	.17	2,438					
	074	.10	1,624					
1.09	58204*	0.27	4,062	9	544	1,428	8,287	508
	075	.21	3,576					
	076	.15	960					
	077	.29	476					
	078	.37	1,587					
	079	.22	38					
	080	.35	0					
2.82	58201*	1.59	6,637	14	953	2,772	9,966	671
	081	.52	1,556					
	082	.25	2,015					
	083	.38	2,445					
1.06	58903*	1.18	6,016	33	214	2,154	11,355	191
	084	.08	152					
	085	.40	1,971					
	086	.19	434					
	087	.49	2,329					
	088	.73	877					
.95	58902*	1.89	5,763	64	483	1,987	10,019	394
	089	.14	497					
	090	.22	1,278					
1.08	58602*	0.36	1,775	22	159	594	8,270	205
	091	.06	636					
	092	.13	610					
1.05	58603*	0.19	1,246	384	110	232	5,589	184
	093	.36	2,728					
	094	,22	694					



Town	BAZ/ J to W*	Square Miles	Pop.	Min. Pop.	0ver 65	# Autos	Income Median	Fam. <\$6,000
Brockton (continued)	58901*	0.58	3,422	42	225	1,161	10,263	176
	095	.40	1,279					
	096 `	. 35	2,161					
.51	58802*	0.75	3,440	181	234	1,035	10,049	207
	097	.14	1,571					
	098	.16	623		•			
	099	.25	666					
2.29	58801*	0.55	2,860	259	737	1,951	9,485	531
	100	.15	1,098					
	101	.76	575					
0.99	58702*	.91	1,673	98	150	588	10,374	137
	102	.11	1,484					
1.52	58604*	0.11	1,484	0	222	433	6,004	264
	103	.22	1,256					
	104	.33	1,952					
	105	.35	431					
	106	.05	214					
	107	.35	514					
	108	.49	179					
	109	.26	363					
	110	.26	545					
1.38	58701*	2.31	5,454	30	744	2,047	9,592	592
total	(21.37)	21.29	89,035	1,962	9,921	32,266		8,803
E. Bridge- water	146	2.13	614					



Dat	_			
Dat	P			

Town	BAZ/ J to W*	Adj. Sq. Mi.	Pop.	Min. Pop.	0ver	# Autos	Income Median	Fam. <\$6.000
E. Bridge- water								
(continued)	147	. 29	150					
	148	.85	1,305					
	149	.41	178					
	150	1.57	596					
	151	1.79	1,107					
.95	60302*	7.05	3,950	46	375	1,538	10,270	217
	152	2.47						
	153	2.67						
1.1	60303*	5.14	2,104	0	186	817	10,275	122
	154	2.08	1,855					
	155	1.39	438					
1.0	60301*	3.47	2,293	0	182	1,029	11,181	156
total	(15.49)	15.66	8,349	46	743	3,384		495
Easton	015	1.39						
	016	1.18						
	017	2.74	2,091					
	018	1.03	2,693					
-	019	1.27	1,029					
	57800*	7.61	6,594	22	603	2,385	11,146	348
	020	2.08						
	021	3.71						
	022	1.75						
	023	3.36						
	024	2.67						




Town	BAZ/ J to W*	Square Miles	Pop.	Min.	Over	# Autos	Income Median	Fam. '\$6,000
Easton (continued)	025	3.37						
	026	2.94	2,608					
	027.	1.32	481					
	57900*	21.20	5,563	20	316	2,417	12,508	270
total	(29.04)	28.81	12,157	42	919	4,802		618
Hanson	171	1.94						The state of the s
	172	.81						
	173	.31						
	60700*	3.06	1,623	0	89	579	10,974	61
	174	1.94						
	175	1.06						
	176	.69						
	177	2.55						
	178	1.65						
	60702*	7.89	2,351	19	216	1,022	10,916	148
	179	.64	1					
	180	1.25						
	60701*	1.89	1,795	0	114	709	11,181	71
	181	.98						
	182	1.01				-		
	183	.46						
	60703*	2.45	1,379	183	93	468	9,872	67
total	(15.17)	15.29	7,148	201	512	2,778		347
Pembroke	190	1.92						
	191	1,88		The same of the same		Michie		



-	
Date	e

-	Town	BAZ/ J to W*	Square Miles	Pop.	Min. Pop.	0ver 65	# Autos	Income Median	Fam. < \$6,000
	embroke continued)	60903/ 60904 ¹	3.80						
		192	2.19						
	,	193	2.16						
		60901/ 60902*	4.35						
ı		194	1.46						
		60903/ 60904*	1.46						
		195	0.93						
		60905*	0.93						
14		196	1.55						
		60906/ 60907*	1.55						
		197	1.11						
	To other statements	60908*	1.11						
ı	Managem 4-mm , my graph	198	3.61	,					
	disconnection of the second se	199	2.31						
ı	The second secon	200	2.49	der gewannen ander geste der geste d					
		60801/ 60802*	8.41	to delicate					
L	total	(21.53)	21.61	11,193*	115*		5,016*		
W	. Bridge- water	137	1.54	307					
•	1.08	58000*	1.54	307	0	31	98	10,510	24
1		138	2.21						
1		139	1.77						
	1.								

^{*} From OCPC 1974 Report



Date	2		
10.6			


Town	BAZ/ J to W*	Square Miles	Pop.	Min. Pop.	0ver _ 65	# Autos	Income Median	Fam. < \$6,000
W. Bridge- water								
(continued	58001*	3.98	470	0	31	197	12,254	41
	140	3.82	1,319					
	141	.73	323					
	142	1.70	2,417					
	143	1.44	374					
	144	1.16	1,195					
	145	1.22	747					
1.14	58100*	10.07	6,375	20	516	2,158	11,103	278
total	(15.49)	15.59	7,152	23	578	2,453		343
Whitman	126	.89	1,407					
	127	.33	1,696					
	128	1.02	1,569					
3	129	.42	1,688					
	130	.75	470					
	131	.24	145					
	60201*	3.65	6,975	39	534	2,673	10.812	371
	132	. 59	1,057		the control of the co			
	133	.38	1,766					
	134	.57	2,463					
	135	.48	331					
	136	1.05	467					
	60202*	3.07	6,084	22	695	2,288	10,060	535
. total	(6.70)	6.72	13,059	61	1,229	4,961		906
Halifax	184	4.45	20,000					7,00




Date	_		
III DT			

Town	BAZ/ J to W*	Square Miles	Pop.	Min. Pop.	0ver 65	# Autos	Income Median	Fam. < \$6,000
Halifax	185	.91						
(continued)	186	2.18						
	60601	7.54	·					
	187	5.47						d different and an artist of the second and artist of the second artist of the second and artist of the second artist of the second and artist of the second and artist of
	188	2.50						
	189	1.87						
	60603	9.84						
total	(17.37)	17.38	3,468*	21*		1,540		
Stoughton	201	1.24	1,896					
	202	1.49	4,405					
	203	3.88	1,405					
.99	57700*	6.61	7,706	126	441	2,682	11,416	394
	204	0.70	573					
	205	1.14	3,930					
	57601*	1.84	4,503	92	369	1,569	10,288	311
	206	.60	3,512					3
	207	2.20	2,768					
	208	1.45	1,892					
	57603*	4.25	8,172	149	719	3,002	11,460	424
	209	1.94	2,554					
	210	1.42	524					
	57602*	3.36	3,078	19	147	1,121	12,655	64
ТОТ	(16.25)	16.06	23,459	386	1,676	8,374		1,193

^{*} From OCPC 1974 Report




Town	BAZ/ J to W*	-	Pop/ Mi.2	Autos/ 1000 pop	Over ₂ 65/	% Min Pop		·
Abington	111	-	199	,				
	112		2310					
1	113		819					
	114		178					
•	59000*		498	385	30	• 5%		
	115		1245					
	116		2555					
	117		5700					
	59200*		2071	410	204	0		
*	118		0					
	59 303*		0	0	0	0 .		
	119		2127				·	
	120		1475					
	59102*		1835	421	74	0		
	121		2014					
	122		2967					
	123		2211	·				
	124		1180	·				
	125		1383					
	59101 *		1890	376	186	.0		
total			1248	395	103	• 1%		
Avon	001		0					
	002		631					
	003		545					
	004		3704					




Town	BAZ/' J to W*		Pop/2	Autos/ 1000 Pop	Over 65/	% Min		
Avon (continued)	005	6	5900					
	006		1923					-
	57501*		1346	380	. 95	. 7%		
	007		716					
	800		70			•		
	009		575					
	010		2022					-
	011		1580					
	012	1	2360					
	013		3311					
	014		481					
	57502*		1020	420	65	2.2%		
total			1212	394	83	1.2%	·	
Bridgewater	156							
	157						,	
	158							
	159							
	60403*		226	400	13	2.6%		
	160							
	60402*		2834	359	404	. 7%		
	161							
	60401*		2260	438	267	0		
	162							
	163							
	164							




_	Town	BAZ/ J to W*	Pop/2	Autos/ 1000 Pop	Over ₂ 65/ Mi	% Min Pop		
Br (c	ridgewater continued)	60404*	310	407	24	5.6%		
		165						
		166 `					,	
		167					·	
		168						
		60504*	305	415	17	1:2%		
		169						
		60503*	1074	386	111	0		
*	ingana garanga	170						
4		60502*	562	47	37	3.8%		
٨.	total		431	354	36	2.2%		
Br	rockton	028	2,139					
		029	2835					
		030	4227					
		58403*	2608	453	316	0		
		031	19					
		032	240					
		033	4463					
	-	034	2227					
		035	2079					
		036	2684					
		037	7672					
		038	13209					
		58501*	2754	394	272	2.0%		



•	,	 				
Town	BAZ/ J to W*	Pop/ Mi ²	Autos/ 1000 Por	Over 65/	% Min . Pop	
•			· ·			
Brockton (continued)	039	1252				
	040	1550	Sec.			
	58402*	1367	377	119	.8%	
	041	887				
	042	1704				
	043	4277				
	58302*	1374	456	250	. 0	
	044	 4052				
	045	7158				
	046	8483				
	58303*	6445	413	919	. 8%	
	047	191				
	048	11175				
	58203*	5922	388	717	0	
	049	2355				
	050	638	4			
	051	159				
	58401*	1513	285	0	0	
	. 052	2530	1		9	
	58301*	2530	0	0	Ö	
	053	2169				
	054	0				
	055	2358				
	056	2422 .				
	057	7422				



•								
Town	BAZ/ J to W*		Pop/2 Mi ²	Autos/ 1000 Pop	Over ₂ 65/ Mi	% Min Pop		
Brockton (continued)	058		1775					
	059		8247	1	1			
The State of the S	58202*		3131	315	53	0		
	060	ı	12425					
	58504*		12425	390	1892	. 6%		
	. 061		15065					
•	062		13092					
•	58304*		14288	333	2433	1.6%		
	063		10308					
<u> </u>	064	-	7 47					
	065	•	1_790					
	58502*		9739	324	1621	2.5%		
	066		16916					
	067		12288	l.				
	58503*		15544	295	1585	3.4%		
	068		11750					
	58601*		11750	329	1640	6.6%	,	
	069		7657					
	58607*		7657	407	2271	8.6%		
	070		10545	<u>'</u>		_		
	58606*		105 5	307	1936	13.0%		
	071		13559					
	58205*		13559	322	1577	2.1%		
	072		14486					
	58605*		14486	451	1600	- 3%		



	BAZ J to W*	Б — »		Over 65/		THE ZONE	
Town			1 Por	Mi ²	Pop	J	
Brockton (continued)	073	./					
	074	1634		V-SANANO-ASSA JAJANANISANA			
	58204*	15000	₹Ţ 	115	- 2%,	,	
	075	187) 	
	076	6.00					
	077	1641					
	078	4.589					
	079	173		1			
	080	0					
	58201*	4174	418	599	• 2%		
	081	2992	TIO	333			
	082	7196					
	083	64 -	a harmonia a su su su su mandra de la companya de l				
	58903*	5098	358	181	. 5%		
	084	1900		101	• J/0		
	085	terentigis kringstatistissenguapetuvavatata sussenapagetus					
		4928					
	086	2284					
	087	4753					
	088	1201					
	58902*	2.745	345	256	1.1%		
	089	0599					
	090	5-00					
	58602*	4931	335	442	1.2%		
	091	10000			1		
	092	4600		,			
	58603*	7 6558	186	579	30.8%		
	093	75.75					
	094	31.5	-				1



4	Town	BAZ/ J to W*		Pro/2	Autos/ 1900 Por	Over 65/	% Min Pop	
. •	Brockton (continued)		-bendesignated of the state of	5900	339	388	1.2%	
		095		3198				
		096 -		6174				
		58802*		4586	301	312	5.2%	
		097		11221				
		098		3894				
		099		2664		en e		
		58801*		5200	682	340	4.1	
		100		7320		J photos with an installed property	4	
		101		757				
		59702*		1838	351	16'	5.9%	
		102		4151				
		58604*		12 91	292	2018	0	
		103		5709				
		104		5915				
		105		1231				
		106		4280				1
		107		1469				3
	\	108		365				
		109		1396				
		110		2096				
		58701*		2361	375	322	.6%	
	total			4190	362	467	2.2%	
	E. Bridge- water	146.		288				



. Town	BAZ/ J to W*		Pop/	Autos/ 1000 Pop	Over 65/	% Min Pop	
E. Bridge- water							
(continued)	147		517				Manager of the state of the sta
	148,		1517				
	149		131				
	150		380				
	151		618				
	60302*		560	389	53	1.2%	
	152						
	153						
	60303*		409	388	36	0	
	154	and the second	892				
The state of the s	155		315				
	60301*		661	449	52	0	
total			533	405	47	- 6%	
aston	015						
	016						
	017		763				
	018		2615				
	019		810		**Augustation		
	57800*		866	362	79	- 3%	
	020						
	021						
	022						
-	023						
	024						



Town	BAZ/ J to W*		Pop/	Autos/ 1000 Pop	Over 65/	% Min Pop		
Easton (continued)	025							
	026		887	_				
	027~		364					
	57900*		262	434	15	. 4%		
total			422	395	32	. 3%		
Hanson	171							
	172							1
	173							
	60700*		530	357	29	0		
	174							
	175							
	176							
	177						!	
	178							e and a second
	60702*		298	435	27	. 8%		-
	179							
	180							The state of the s
	60701*		95	39 5	60	0		
	181							
	182					~		
	183							
	60703*		5 63	339	38	13.2%		
total			467	389	33	2.8%		
Pembroke	190							
4	191	o er tils ellistikkende						



BROCKTON AREA TRANSIT STUDY - STATISTICS FOR BASIC ANALYSIS ZONES

·Town	BAZ/ J to W*		Pop/	Autos/ 1000 Pop	Over 65/	% Min Po		
Pembroke continued)								
	192							
	193							
	60901/ 60902*							
	194							
	60903/ 60904*	The state of the s						
	195							
	60905*							
	196							
	60906/ . 60907*							
	197	1					I I	
	60908*			'				
	198							
	199							1
	200	tion of the state	1			·		
	60801/ 60802*							
total								
V. Bridge- water	137		199					
	58000*		199	319	20	0		
	138							
	139							



BROCKTON AREA TRANSIT STUDY - STATISTICS FOR BASIC ANALYSIS ZONES

Town	BAZ/ J to W*		Pop/	Autos/ 1000 Pop	Over 65/	% Min Pop	
W. Bridge- water (continued)			410				
(Concinued)	140.		118	419	8	0	
			345				
	141		442				
	142		1422				
	143		260				
	144		1030				
	145		612				
	58100*		633	339	51	• 3%	
total			459	343]	37	- 3%	
Whitman	126		1581				
	127		5139				
	128		1538				
	129		4019	·			
	130		627				1
	131		604				
	60201*		1911	383	146	.6%	
	132		1792	·		•	
	133		4647			*	
	134		4321	e de la constante de la consta			
	135		686		1		
	136	. ^	445				
4	60202*		1982	376	226	.4%	
total			1943	380	183	.5%	
Halifax	184					• 5/6	



BROCKTON AREA TRANSIT STUDY - STATISTICS FOR BASIC ANALYSIS ZONES

Town	BAZ/ J to W*	Pop/	Autos/	Over 65/	% Min	
Halifax	185	The Assets	1000 100	A Auda	1.00	
(continued)	186					
	187					
	188					
	189					
total		200				
Stoughton	201	1529				
4	202	2956				
	203	362				
	57700*	1166	348	67	1.6%	
	204	819 .				
•	205	3447			1	
	57601*	2447	348	201	2.0%	
	206	5853				
	207	1258				
	208	1305				
	57603*	1923	367	169	1.7%	
	209	1316			=	
	210	369				
	57602*	916	364	44	6%	
	TOTAL	1461	357	104	1.6%	-



Date <u>1/9/75</u>

BROCKTON AREA TRANSIT STUDY - STATISTICS FOR JOURNEY-TO-WORK ZONES

•	Journey- to-Work		* Employees	Employees per mi ²			
Town	Zone			per nir			
Abington	59000		120	27			
	59101		375	159			
	59102		99	93			
	59200-		395	221		1	
total			989	100.1		not do image display.	-
Avon	57501						
	57502						
total							
Bridgewater	60401						
	60402						
	60403						
1	60404		:				
	60502		!				
•	60503						
	60504						
total							
Brockton	58201		183	115		1	
	58202*		35	19			
	58203		113	491		:	
1	58204		850	3148		1	
and the second s	58205		1357	6168		-	
1	58301	-	0	0		1	
3	58302	-	694	674			
1	58303		580	1000			
	58304	#1	816	2473			

SOURCE: 1970 Census Journey to Work Trip Table

* 1975 update reflects 412 employees or 2,575 employees per square mile



Date

BROCKTON AREA TRANSIT STUDY - STATISTICS FOR JOURNEY-TO-WORK ZONES

Town	Journey- to-Work Zone	* Employees	Trployees	3		
Brockton (continued)	59401*	7	9			
	58402	970 .	990			
	58403	389	469	ı		
	58501**	483	204			
	58502	923	2429			
	58503	878	3252			
	58504	152	1267			
	58601	0	0			
	58602	296	822			1
	58603	+91	2059			:
1	58604	741	20			
,	58605 58606 58607	77 89	11029			
	55.01	10	750			
	58702	201	981 312			1
	58°01	1.83	878			7
	58802	838	11_7	1		1
	58901	l 852	1469			
1	58902	967	572			b 2
	58903	165	140			
total		16327	763			
East Bridge water	- 60301					
water	60302					
	60303		- the state of the			

^{* 1975} update reflects 122 erployees or 4,718 employees per square mile in BAZ 051 which includes part of Brockton Industrial Park.


^{** 1975} update reflects 1672 employees or 4777 employees per square mile in BAZ 032 which includes Westgate Mall. BAZ 034 has 700 employees



Date	

BROCKTON AREA TRANSIT STUDY - STATISTICS FOR JOURNEY-TO-WORK ZONES


•			Employees per mi			
Easton	57800		,			
	57900					
total						The state of the s
Hanson	60700					
	60701					B
	60702					and the same of th
	60703					1
total						
Pembroke	60801					The state of the s
,	60802	1				de la company de
	60901					de la companya de la
	60902					To the state of th
	60903					
	60904					and the state of t
	60905					The Control of the Co
and the state of t	60906					
	60907					i de la companya de l
	60908					2 0 1
total					e de la companya de l	1 1
W. Bridge- water	58000					i
Water	58001					
	58100					
total						
Whitman	60201	513	141			
	60202	812	264			



Dat	e	

BROCKTON AREA TRANSIT STUDY - STATISTICS FOR JOURNEY-TO-WORK ZONES

Town	Journey- to-Work Zone	lmployecs	Imployees per mi ²		
Halifax	50501				
	60602				
	60603				
tot					
toughton	57601	963	523		
	57602	171	51		
	57603	935	220		
	57700	477	72		
total		2546	159		



MONTELLO VIA NORTH MAIN STREET

WEEKD	AY	SATU	RDAY
OUTBOUND	INBOUND	OUTBOUND	INBOUND
Lv. Downtown	Lv. Avon Line	Lv. Downtown	Lv. Avon Line
Main St.	N. Main St.	Main St.	N. Main St.
6:00 a.m. 6:30 7:00 7:30 8:00 8:30 9:00 9:30 10:00 K 10:30 11:00 K 11:30	6:15 a.m. 1 6:45 7:15 7:45 8:15 8:45 K 9:15 9:45 K 10:15 10:45 11:15	8:00 a.m. 8:30 9:00 9:30 10:00 K 10:30 11:00 K 11:30	8:15 a.m. 8:45 K 9:15 9:45 K 10:15 10:45 11:15 11:45
12:00 noon	K 12:15 p.m.	12:00 noon	K 12:15 p.m.
12:30 p.m.	12:45	12:30 p.m.	12:45
1:00	K 1:15	1:00	K 1:15
K 1:30	1:45	K 1:30	1:45
2:00	K 2:15	2:00	K 2:15
K 2:30	2:45	K 2:30	2:45
3:00	K 3:15	3:00	K 3:15
K 3:30	3:45	K 3:30	3:45
4:00	4:15	4:00	4:15
K 4:30	4:45	K 4:30	4:45
5:00	5:00	5:00	5:15
5:30	5:45	5:30	5:45

NOTE: No Service on Sundays or Holidays.

K - trips via Kennedy Drive.

CRESCENT STREET

WEEK	DAY	SATU	RDAY
OUTBOUND	INBOUND	OUTBOUND	INBOUND
Lv. Downtown	Lv. Alger	Lv. Downtown	Lv. Alger
School St.	St.	School St.	St.
6:00_a.m.	-6:15 a.m.	8:30 a.m.	8:45 a.m.
6:30	6:45	9:30	9:45
7:00	7:15	10:30	10:45
7:30	7:45	11:30	11:45
8:00	8:15		
8:30	8:45		
9:00	9:15		
9:30	9:45		
10:00	10:15		
10:30	10:45		
11:00	11:15		
11:30	11:45		
12:00 noon	12:15 p.m.	12:30 p.m.	12:45 p.m.
12:30 p.m.	12:45	1:30	1:45
1:00	1:15	2:30	2:45
1:30	1:45	3:30	3:45
2:00	2 15	4:30	4:45
2:30	2:45	5:30	5:45
3:00	3:15		
3:30	3:45		
4:00	4:15		
4:30	4:30		
5:00	5:00		
5:30	5:45	1	

NOTE: No Service on Sundays or Holidays.

CAMPELLO VIA MAIN STREET


WEEKI	DAY	SATURDAY		
OUTBOUND	INBOUND	OUTBOUND	INBOUND	
Lv. Downtown	Lv. Big G, K Mart, and BPM	Lv. Downtown	Lv. Big G, K Mart, and BPM	
School St.	South Plaza	School St.	South Plaza	
6:00 a.m.	6:15 a.m.	8:00 a.m.	8:15 a.m.	
6:30	6:45	8:30	8:45	
7:00	7:15	9:00	9:15	
7:30	7:45	9:30	9:45	
8:00	8:15	10:00	10:15	
8:30	8:45	10:30	10:45	
9:00	9:15	11:00	11:15	
9:30	9:45	11:30	11:45	
10:00	10:15			
10:30	10:45			
11:00	11:15			
11.30	11:45			
12:00 noon	12:15 p.m.	12:00 noon	12:15 p.m.	
12:30 p.m.	12:45	12:30 p.m.	12:45	
1:00	1:15	1:00	1:15	
1:30	1:45	1:30	1:45	
2:00	2:15	2:00	2:15	
2:30	2:45	2:30	2:45	
3:00	3:15	3:00	3:15	
3:30	3:45	3:30	3:45	
4:00	4:15	4:00	4:15	
4:30	4:45	4:30	4:45	
5:00	5:15	5:00	5:15	
5:30	5:45	5:30	5:45	

NOTE: No Service on Sundays or Holidays.

CENTER ST. - BROCKTON HOSPITAL

WEEK	DAY	SATURDAY		
OUTBOUND	INBOUND	OUTBOUND	INBOUND	
Lv. Downtown	Lv. Edward St.	Lv. Downtown	Lv. Edward St.	
School St.		School St.		
6:00 a.m.	. 6:15 a.m.	8:00 a.m.	8:15 a.m.	
6:30	6:45	9:00	9:15	
7:00	7:15	10:00	10:15	
7:30	7:45	11:00	11:15	
8:00	8:15			
8:30	8:45			
9:00	9.15			
9:30	9:45			
10:00	10.15			
10:30	10:45			
11:00	11:15			
11:30	11:45			
12:00 noon	12·15 p.m.	12:00 noon	12:15 p.m.	
12:30 p.m.	12.45	1:00	1:15	
1:00	1 15	2:00	2:15	
1:30	1 45	3:00	3:15	
2:00	2:15	4:00	4:15	
2:30	2:45	5:00	5:15	
3:00	3:15			
3:30	3:45			
4:00	4:15			
4:30	4:45			
5:00	5:15			
5:30	5:45	1		

NOTE: No Service on Sundays or Holidays.



BELMONT AND TORREY STREETS (All trips via V.A. Hospital)

WEEKDAY SATURDAY				
		SATURDAY		
OUTBOUND	INBOUND	OUTBOUND	INBOUND	
Lv. Downtown	Lv. Marshall's Corner	Lv. Downtown	Lv. Marshall's Corner	
School St.	Belmont-	School St.	Belmont-	
Tam St.	Pearl Sts.		Pearl Sts.	
6:30 a.m.	6:45 a.m.	8:10 a.m.	8:30 a.m.	
7:00	7:15	8:50	9:10	
7:30	7:50 -	9:30	9:50	
8:10	8:30	10:10	10:30	
8:50	9:10	10:50	11:10	
9:30	9:50	11:30	11:50	
10:10	10:30			
10:50	11:10			
11:30	11:50			
12:10 p.m.	12:30 p.m.	12:10 p.m.	12:30 p.m.	
12:50	1:10	12:50	1:10	
1:30	1:50	1:30	1:50	
2:10	2:30	2:10	2:30	
2:50	3:10	2:50	3:10	
3:30	3:50	3:30	3:50	
4:10 4:50	4:30	4:10	4:30	
5:30	5:10	4:50	5:10	
5.30	5:45	5:30	5:45	

NOTE: No Service on Sundays or Holidays.

AMES STREET - BROOKFIELD Via N. Montello St

	WEEKDAY	
OUTBOUND	INBOUND	
Lv. Downtown	Lv. N. Quincy and Hovendon Sts	
Main St.		
6:30 a.m.	6:45 a.m.	
7:00	7:15	
7:30	7:50	
8:10	8:30	
8:50	9:10	
9:30	9:50	
10:10	10:30	
10:50	11:10	
11:30	11:50	
12:10 p.m.	12:30 p.m.	
12:50	1:10	
1:30	1:50	
2:10	2:30	
2:50	3:10	
3:30	3:50	
4:10	4:30	
4:50	5:10	
5:30	5:45	

PLEASANT STREET (All trips via Westgate Mall)

		CDAY	SAT	URDAY
ΟU	TBOUND	INBOUND	OUTBOUND	INBOUND
Lv	Downtown	Lv. N Pearl		Lv. N. Pearl
		and Pleasant Sts		and Pleasant S
Má	ain St.		Main St.	
	6:30 a.m.	6:45 a.m.	8:10 a.m.	l 8:30 a.m.
	7:00	7:15	8:50	9:10
	7:30	7:50	M 9:30	M 9:50
	8:10	8:30	10:10	10:30
	8:50	9:10	M 10:50	11:10
	9:30	M 9:50	11:30	M 11:50
	10:10	10:30		141 11.50
M	10:50	11:10		
	11:30	M 11:50		
	12:10 p.m.	12:30 p.m.	12:10 p.m.	12:30 p.m.
	12:50	1:10	12:50	1:10
M	1:30	M 1:50	M 1:30	M 1:50
	2:10	2:30	2:10	2:30
	2:50	3:10	2:50	3:10
	3:30	M 3:50	M 3:30	M 3:50
	4:10	4:30	4:10	4:30
	4:50	5:10	M 4:50	5:10
	5:30	5:45	5:30	5:45


NOTE: No Service on Sundays or Holidays. M - trips via Malvern Road

PERKINS, PLAIN, AND EAST STS. Via Montello St.

	WEEKDAY	
OUTBOUND	INBOUND	
Lv. Downtown	Lv. N. Quincy and Hovendon Sts.	
School St.		
6:30 a.m.	6:45 a.m.	
7:00	7:15	
7:30	7:50	
8:10	8:30	
8:50	9:10	
9:30	9:50	
10:10	10:30	
10:50	11:10	
11:30	11:50	
12:50 p.m.	1:10 p.m.	
2:50	2:30	
3:30	3:10	
4:10	3:50	
4:50	4:30	
5:30	5:10	
	5:45	

NOTE: No Service on Saturdays, Sundays or Holidays.

NOTE: No Service on Saturdays, Sundays or Holidays.



GRAFTON -- COPELAND


7:45 a.m. 7:45 a.m. 8:40 9:40 10:40 12:20 p.m. 1:20 2:20 3:20 4:20	OUTBOUND	INBOUND
5 a.m. 7:45 a.m. 8:40 9:40 10:40 10:40 12:20 p.m. 1:20 2:20 3:20 4:20	Lv. Downtown	Lv. Copeland St.
5 8:40 9:40 10:40 12:20 p.m. 5 p.m. 1:20 2:20 3:20 4:20	School St.	
9:40 10:40 12:20 p.m. 1:20 5 2:20 3:20 4:20	8:25 a.m.	7:45 a.m.
5 p.m. 10:40 12:20 p.m. 1:20 5 2:20 5 3:20 4:20	9·25	8:40
12:20 p.m. 1:20 5:5 5:4 2:20 3:20 4:20	0:25	
1:20 2:20 3:20 4:20		
2:20 3:20 4:20	2:05 p.m.	
3:20 5 4:20	1:05	
4:20	2:05	
5	3:05	
	4:05	4:20
•	5:05	
•		
	•	

NOTE: No service on Saturday, Sunday, or Holidays.

ASHLAND HEIGHTS


OUTBOUND	INBOUND
Lv. Downtown	Lv. N. Quincy and Court Sts
Main St.	
8:00 a.m.	8:10 a.m.
8.55	9:10
9 55	10:10
11:55	11:40
2:35 p.m.	2:50 p.m.
3:35	3:50
4:35	4:50
	•

NOTE No service on Saturday, Sunday, or Holidays.



Brockton-Rockland Route Crocker Transit Systems, Inc.

Mm. 6		
FROM Scho	pol St. 70	TIME Leaving
M&S	Rockland	7:00
Rockland	Brockton	7:30
Brockton	Rockland	8:00
Rockland	Brockton	8:30
Brockton	Rockland	9:00
Rockland	Brockton	9:30
Brockton	Rockland	10:00
Rockland	Brockton	10:30
Brockton	Rockland	77:00
Rockland	Brockton	11:30
Brockton	Rockland	12:00
Rockland	Brockton	12:30
Brockton	Rockland	1:00
Rockland	Brockton	1:30
Brockton	Rockland	2:00
Rockland	Brockton	2:30
Brockton	Rockland	3:00
Rockland	Brockton	3:30
Brockton	Rockland	4:00
Rockland	Brockton	4:30
Brockton	Rockland	5:00
Rockland	Brockton	5:30



230

DINOCKTON — QUINCY CTR. STA.

VIO HOLDROOK

QUINCY CTR. STA.

QUINCY CTR. STA.

BRAINTREE CTR.

UNITAGE BROOK SQ.

HOLDROOK SQ.


HOLDROOK SQ.


HOLDROOK SQ.

HOLDROOK SQ.

SCHOOL ST.

GROCKTON





250



-..OCKTON - QUINCY CTR. STA.

WEEKDAY				
To orn cy			FROM QUINCY	
Ty. Cirlin 1. Netrool	Le vo Brookvilla Squara	Hollmook Square	Leavo Qulucy Ctr. Station	Leavo Hollmook Square
	5;45 AM 6:10 6:40 7:10 7:40 8:25 9:25 Hemly 2:25 PM 3:30 EV, 30 min. 6:00 6:25 H:70 7:10 7:10 9:30	5:50 AM 6:15 6:35 6:45 7:00 7:15 7:45 8:15 5:30 9:30 Hourly 2:30 PM 3:35 Ev. 10 min. 6:35 6:345 7:15 7:35 8:35 9:35 PM	5:10 AM 5:40 -6:7:00 II 7:45 8:00 JF 8:00 JF 8:00 JF 8:00 Hourly 1:00 PM 3:45 4:15 4:45 H 5:05 5:15 H 5:35 5:45 B 6:20 B 7:05 B 8:05 B 9:05 PM	5:31 AM 6:01 6:22 7:72 Homily 3:22 PM 4:07 4:07 5:07 5:07 5:42 II 6:07 B 6:42 B 7:27 B 9:27
SATURDAY				

		SATURDAY			
7:15 AM, Pourly 5:15 PM	6:30 AM 7:25 Hourly 5:25 PM 6:30 7:30 8:30 9:30	6:35 AM 7:30 Hourly 5:30 PM 6:35 7:35 8:35 9:35	B 6:00 AM 6:37 7:00 Hourly 5:00 PM B 6:00 B 7:05 B 9:05	B 6:22 6:59 7:22 Ilourly 5:22 PM D 6:22 D 7:27 B 8:27	
CUNDAY and HOUDAY					

	9:30	9:35	B 9:05 B 9:05	B 9:27 B 9:27
a and government	SUND	AY and 110		
Author	8:30 AM Ev 2 hrs.	8:35 AM Ev. 2 lirs.	D 8:05 AM B Ev. 2 hrs. B 8:05 PM	B 8:27 AM B Ev. 2 hrs. B 8:27 PM
	8:30 PM 10:50	8:35 PM 10:55	B10:25	810:45
			II To	Hollyrook St

it - in Grodville Sq.

No sarvice to or from Brockton on Sundays or Holldays

HOLIDAYS:

Get. 23 - ser SATURDAY service.

Oct. 11 - Une. 2d - Occ. 25 - see SUROAY service.

For Labormation call: Quincy 472-3450 — Boston 722-5000

forfermance of schodules subject to traffic delay.

TIAP (SM) Effective 9/7/74

240




BROCKTON - ASHMONY STA.

WEE	KDAY	SATU	JRDAY	SUNDAY		
School & Ashmont Main Station		School & Main	Aslimont Stallon	Leave Schoot & Main	Ashmont Stallon	
5:45 AM 6:15 6:30 n 6:45 7:00 7:20 7:30 n 7:40 8:05 8:15 n 9:00 n10:00 n12:00 N 1:00 PM n:2:00	6:05 AM 6:35 7:05 In 7:45 8:25 9:20 In 10:20 In 12:20 PM 	7:00 AM m 8:00 9:00 m10:00 m10:00 11:00 m12:00 II 1:00 PM m 2:00 3:00 m 4:00 5:00 6:00 6:00 7:30 8:30 10:30	6:05 AM 7:20 8:20 m 9:20 10:70 10:1:20 PM 11:20 7:20 m 3:20 4:20 n 5:20 n:5:20 7:20 9:70 11:20 PM	8.36 AM Ev 2 hrs 10:30 PM	9 70 AM Ev 2 hrs 11:20 PM 12:35 AM	
3:00 n 4:00 4:45 -5:15 -6:30 -8:30 10:30	-5:25 5:35 -5:45 6:05 m 6:20 7:20 9:20 11:20 PM 12:35 AM					

RANDOLPH - ASHMONY

WEE	KDAY	SATL	SATURDAY		SUNDAY		
Crawlord Square	Leave Aslimont Station	Leave Crawford Square	Leavo Aslimont Station	Crawford Square	Ashmont Station		
6:00 AM 6:30 Ev. 15 min. 7:00 Ev. 10 min. 8:50 AM 9:15	6:05 AM 6:35 7:05 7:20 7:35 7:45 10:00	6:45 AM Ev. 30 min. 6:45 PM Hourly 11:45	6:05 AM 7:20 Ev. 30 min. 7:20 PM Honely 11:20 PM 12:35 AM	7:45 AM Hourly 11:45 PM	8:20 AM Hourly 11:20 PM 12:35 AM		
Ev. 30 mIn 4:45 PM Ev. 15 mIn 6:00 6:45 Honrly 11-45 PM	R-15 B-25 R-50 Fv. 30 min 2:50 PM 3:05 Ev. 15 min. 6:20 6:50 7:20 Hourly 11:20 PM	NOTE: Additional service operated from Ashmont Sta. to Randolph on weekdeys between 5:00 and 6:00 p.m.					

For Information call: Qutney 472-3450 - Boston 722-5000 240 MAP (7M) Effective 9/7/74



EASTON - BROCKTON BUS SCHEDULE

EFFECTIVE DECEMBER 1, 1972

	-					.,.		
Leave				Lea		Leave		
	Crossro	ads		Depor	t &	1	N. Ea	ston
	Caf	e		Center	Sts.		Cen	ter
	7:15	A.M.	,	7:20	A.M.		7:25	A.M
	8:00	A.M.		8:05	A.M.		8:10	A.M
	11:15	A.M.	,	11:20	A.M.	1	1:25	A.M
	2:15	P.M.		2:20	P.M.		2:25	P.M
	4:30	P.M.		4:35	P.M.		4:40	P.M
	Lv.	Bro	ckton		Lv	. Uni	onvill	е
	7	:45	A.M.			7:00	A.M.	
	11	:00	A.M.			8:20	A.M.	
	2	:00	P.M.		1	1:35	A.M.	
	- 4	:15	P.M.				P.M.	
	~ 5	:40	P.M.			4.50		

Lv. Elise Circle

8:15 A.M. 11:30 A.M. 2:30 P.M.

Daily, except Sundays and legal holidays
INTERSTATE COACH

1138 Washington St. Stoughton, Mass.
Tel. 344-2231

BELMONT STREET

LCave	TCU A C
Brockton Center	Marshall's Comer
7:45 A.M.	7:35 A.M.
9:00 A.M.	8:30 A.W.
10:30 A.M.	9:15 A.M.
11:00 A.M.	10:45 A.M.
1:30 P.M.	11:45 A.M.
2:00 P.M.	1:45 P.M.
3:00 P.M.	2:45 P.M.
3:30 P.M.	3:15 P.M.
4:15 P.M.	3:45 P.M.
5:40 P.M.	5:00 P.M.

Monday Thru Saturday
(NO BUNDAYS OR HOLIDAYS)
All Trips In Both Directions
VIA V. A. MOSPITAL

(OVER)

CHARTER COACH SERVICE TO ALL AMERICA & CANADA

Interstate Coach




Stoughton - Taunton

STOUGHTON TO BROCKTON

New Time Schedule Effective Nov. 20th

	Lv. Stong	nton	l	LV.	Brockton
	x 6:00		7.5	C 4 - 1	x 6:25
	7:00	N.	Except	Saturday	-7:25
	8:00				8:25
	9:00				9:25
	10:00			*	10:25
_	12:00	`		7	12:45
	1:30			•	- 2:15
	3:00				3:45
	4:30	."			5:15
	6:00				6:30

No Service on Sundays and Legal Holidays



BOSTON BROCKTON COMMUTER SCHEDULE

Plymouth & Brockton Street Railway Gempany 5067 Boston 588-2228 Brockton

749-5067 Boston


Schedules Effective October 12 1974

	Leave I	Boston		Leave Brockton			
Monday thru Friday Ex. Holidays		Holi	rrdays Monday thru cept Friday Ex. idays Holidays		Saturdays Except Holidays		
Park Sq. 8 00 9 00 10 30	Essex Term. 8 10 9 10 10 40	Park Sq.	Essex Term. 9 10	BROCKTON School and Main Sts.	West. Gate Mall	ROCKTON chool and ain Sts.	West. Gate Mall
12 01 1 30 3 20 4 40 5 05 5 35 6 30	12 10 1 40 3 30 4 50 5 15 5 45 6 20	12 01 3 20 5 35	12 10 3 30 5 45	6 15 6 45 7 15 7 45 9 00 10 30	6 25 6 55 7 25 7 55 9 10 10 40	7 15 10 30	7 25 10 40
				Pl		PI	N.
				12 01 1 30 3 00 4 30	12 10 1 40 3 10 4 40	1 30 4 30	1 40 4 40

Running time to Brockton 50 mins.

NOTE: Park Square stop is opposite Trailways Terminal.

Commuter Books Available at Essex Terminal and also at Park Square during P.M. Commuting Hours.



PLEASE USE DESIGNATED BUS STOP

DM CON ESSH ESU ESSH ESSI	504 502 500 I ESu EssH EssH	BROCKTON - BOSTON 10-12 74 Trip Numbers
4 30 3 00 1 30 12 01 10 30 9 00 7 4	MA MA MA	ESSH ESU ESSH ESU ESSH ESSH ESSH ESSH ES
4 40 3 10 1 40 12 10 10 40 3 10 7 50	7 25 6 55 6 25	Brockton 8 50 9 50 11 20 12 50 2 20 4 10 5 40 6 05 6 35 7 10
5 25 3 55 2 25 12 55 11 25 9 55 8 44 5 35 4 05 2 35 1 05 11 35 10 6 8 50	8 15 7 45 7 05 8 25 7 55 7 15	Roctor Dans
	10,	1 37K Sq. (Opp. Irlwys. Ter.) Lv. 8 00 9 00 10 30 12 01 1 30 3 20 4 40 5 05 5 35 6 30



Many P. Shado C. 27

XS C-/0 G-m. 1115. XS 7-05 1100 p.m. XS 7-65 1-3.00 p.m. 10.25 p.m. X 5-00 2.05 X 5-00 2.05 X 5-00 2.05 X 5-00 2.05 X 5-00 X Runs Express Between Rte. 18 So. Way. and Ashmont
S Does Not Run Saturday

No Service Sundays or Listed Holidays

CHANTERED BUSES For All Occasions For Information and Reservations TEL, EDgavoter 5-5004

K Rurs Express Botwoon Ree. 18 So. Way. end Achinons.
S Doos Not Run Saturdays.
I saurday Only Sundays and Listed Holidays.
Soo So. Way.-So. Brein.-Achinont. Schedul.

part of the state of the state

EFFECTIVE DECEMBER 30, 1974

OFFICE 530 Broad Struct, East Waymouth, Mass. Information: Tall ED 5-9004


Holidaya rafarrad to in Time Toble
Now, Years Day
Monocial Day
Independence Day
Labor Day
Colombus Day
Veterans Day
Veterans Day
Thentaging Day
Christmas Day
Christmas Day

(Schedule for other holidays will be posted in bases.)

will be posted in ourses.)
This company is not responsible for time table errors, inconvenience, or damage resulting from delayed conclusis. Schedules are subject to change without notice.

HOLLIS STREET, C. SOUTH WORNOUTH TOLKES STREET, C. SOUTH WORNOUTH






Colon Production of the So. Praintee So. Praintee	s	2:30 3:20 4:30 4:40 5:00 5:30 5:40 6:00			
Colling 1-7810000 Monday Brough Saturday * Leave Rockland Leave Achmont 5 6:20 a.m. 5 7:40 5 7:15 5 8:15	111:15 \$ 11:00 \$ 11:00 \$ 12:15 \$ 12:15 \$ 11:15 p.m. \$ 3:00 \$ 3:00 \$ 13:15 \$ 4:15 \$ 3:00 \$ 3:00 \$ 3:00 \$ 3:00 \$ 3:15 \$ 3:00 \$ 3:00 \$ 3:15 \$ 3:00 \$ 3:00 \$ 3:00 \$ 3:00 \$ 3:15 \$ 3:00 \$ 3:			X Runs Express Between Rtc. 18 So. Wey. and Ashmont Saturdays	+ Saturday Only * Time Buses loave Rockland Town Hall
Monday through Saturday Leave Whitman Abington No. Abington XS 6:20 a.m. XS 6:25 a.m. XS 6:30 a.m.	XS 7:35	LEAVE ASHMONI FOR Whitman Abington 9:00 9:00 111:00 111:00 111:00 1:00 p.m.	5,00 5,00 5,00 5,00 5,00 5,00 5,00 5,00	X Runs Express Butureun Ries, 13 So. Way. and Ashment S Docs not run on Schuldfry	No Service Sundays or Listed Militarys

+ Saturday Only * Time Buses leave Reckland Town Hall

The state of the s



DOWNTOWN MINI BUS SERVICE

· Campello High Rise

Daily No Saturday

Lv. Campello High Rise--Main Door Lv. School St. For Campello

For Downtown

Starts January 4, 1975

High Rise Via the Perkins--

Southfield Bus

8:35 am

9:55 -

9:30 am

11:15

10:50

1:15 pm

12:50 pm

3:15

3:30


4:35

4:50

note: This bus will stop in front of the Main Door, A Bldg.

For Information Call 586-3661

Served by regular Perkins - Southfield run



CATURDAY SHODERS BUS.

TO: Fernandes, Big 'G', BPM

LV. CAMPELLO HIGHRISE 9:30 am.

ETURN. FROM BPM & BIG 'G'

11:30 am


FROM FERNANDES

11:35 am

TO Campello High Rise

effective: Saturday January 4, 1975

Saturday Only



DOWNTOWN MINI BUS SERVICE

CAFFREY TOWERS .


CAFFREY, TOWERS--MAIN DOOR LV. DOWNTOWN FOR CAFFREY TOWERS A BIJA.
FOR DOWNTOWN

VIA CRESCENT ST.


9:05	am	9 (00	am
10:05		10:00	
11:05		11:00	
12:05	pm	12:00	n
1:05		1:00	
2:05	•	2:00	
3:05		3:00	
4:05		4:00	

MONDAY--FRIDAY No Saturdays FOR INFORMATION CALL 586-3661

Served by regular Crescent run







MASS. YS. OCI, 2878/2/n, 2-

22

SPACEAGE WEST TRANSPORT OF AN

Committee of the Commit



Otto Bollon (Variable-Lowell) Copper Places


Deposit Tember 1 (Nov. 2), 100 (17 of 11 b), 10



Brockton Area Transit Study

Technical Memorandum #2


ANALYSIS OF SURVEYS




Introduction

A number of surveys were conducted as part of the Brockton Area Transit Study. The three major surveys conducted were the Bus Passenger Survey, which was conducted to determine the bus ridership by route for the local service, and a variety of characteristics concerning the present riders, the second survey conducted was the Home Interview Survey, conducted to obtain statistics concerning the average number of trips made by residents of the area for various purposes and by various modes. This survey was conducted in four towns including Brockton, during the months of July and August, and included 263 families. The third major survey conducted was an Attitude/Latent Demand Survey. This survey was mailed to a random sample of 5% of the families in the region and was intended to obtain citizen attitudes towards the present service and types of improvements they would like to see made in addition to obtaining statistics concerning the areas where service should be expanded.

In addition, a number of other supporting surveys were conducted, including a survey of elderly transportation needs and attitudes, Spanish-speaking citizens attitudes, and a survey of transportation services provided by special service agencies such as Self Help and the Home Care Center. It is the intent of this Technical Memorandum to summarize the data collected and developed as part of those surveys.




BUS PASSENGER SURVEY



Bus Passenger Surveys

The Bus Passenger Survey for the Crocker service was conducted on October 22, 1974 on all of the routes for the full day of operation. A more complete discussion of the techniques and procedures can be found in Staff Paper No. 1 . The survey for Interstate Coach Company service was conducted on November 12, 1974 for its two bus routes, however, the data collected on the Easton - Brockton route required additional analysis to determine its validity, and therefore the data for that one bus operation was discarded and an On/Off Survey was conducted on November 26, to supplement the missing statistics. Ridership on the other companies which are, for the most part, inter-regional, was collected by on/off counts at specific locations and through head counts made by the companies themselves.



Ridership Statistics

Table 1 is a summary of average daily ridership in the planning region during the months of October and November. Table 2 is a summary of bus riders by route for the Crocker Transportation Company and compares the ridership on the day of the survey with the average route ridership for three days in April, 1973. The April, 1973 data included a significant fluctuation in ridership from one day to the other. The total (approximately 2200 people) transported on the day of the survey is close to the April, 1973 survey even though ridership has been increasing since that time. Table 3 is a summary of ridership for November 26, 1974 for the Interstate Coach Company and for the Plymouth-Brockton Street Railway Company, which is an inter-regional carrier.

Table 4 is a summary of the ridership on the MBTA's Brockton - Ashmont run.

The counts were made on November 12, 1974 by individuals located at Main and School in Brockton and at Avon Square. Table 5 is a summary of the ridership on the MBTA's Brockton - Quincy run, made on November 12, 1974 at Main and School in Brockton. Table 6 is a summary of the Brockton area users of the Brush Hill Company service to Boston. Table 7 is a summary of the Hudson Limousine Service from Brockton - Westgate Mall to Logan International Airport.





Table 1
Summary of Bus Ridership

Operator	Passengers 1
Crocker Transportation	2244
Interstate (unda)	178
Plymouth & Brockton	255
MBTA	723
Brush Hill	319
Hudson Limousine	14
Almeida	515
	4248

1 Passengers are for day of survey



5 Table 2

Bus Ridership - Crocker

Route #		April '74_ 3-day Avg.	Oct '74 ² Survey	School Trips	Total
1	Montello/Campello	814	680		680
2	Centre/Crescent	259	301	80 3	381
3	Belmont/Pleasant	658 ¹	444	144.4	588
4	Perkins/Ames	198	275	42 5	317
5	Copeland/Ashland	1461	54	106 ⁶	170
		2075	1754	372	.2166
6	Senior Citizens				45
7	Brockton/Rockland		73		73
	Brockton/Whitman		Discon	tinue	2244 e d

- 1 Includes school trips
- 2 Does not include school trips
- 3 East Junior High School
- 4 West Junior High School
- 5 South Junior High School
- 6 West and North Junior High Schools and Brockton High School


Table 3

Ridership - Interstate

Stoughton/Brockton	104
Easton/Brockton	74

Ridership - Plymouth & Brockton Street Railway Co.


Outbound 133
Inbound 122



School Bus Ridership - Monday, November 25, 1974 Provided by the Transportation Authority

(to and from school)

	Riders
South Junior High	42
(Run 11, Perkins Avenue)	
Brockton High	54
(Run 13, Belmont/Pleasant)	
North Junior High	70
(Run 15, Copeland)	
East Junior High	80
(Run 12, Crescent)	
West Junior High	
Route 1, Torrey and Pearl	36 Run 13, Copeland
Route 2, Pleasant and Warner	60 Run 9, Pleasant
Route 3 Pleasant and Pearl	30 Run 10, Pleasant
	372



Ashmont to Brockton (Inbound)


	Avon Square	Brockton M & S
Picked Up	10	0
Dropped Off	17 ¹	138 ¹
Thru Stop Passengers	314	0
Off Between		
Avon Square and M & S		169 ¹

1] 324 riders using two count stations

Brockton to Ashmont (Outbound)

	Brockton M & S	Avon Square
Picked Up	176 ¹	22 ¹
Dropped Off	0	6 ¹
Thru Stop Passengers	0	248
On Between		
Avon Square and M & S	. 7	²¹

1) 276 riders using two count stations



7
Table 5

MBTA Ridership

Survey 11/12/74

Brockton/Quincy

	6:00 AM to	NOON to 8:00 PM	Total
To Quincy			
on at M & S	32	38	7 0
From Quincy			
off at M & S	22	31	53

Total Passengers to/from Brockton M & S 123

Trip time from M & S to Quincy Center Station is approximately 40 minutes.

	Almeida Bus Ridership		Survey 11/12/74
From Boston			
Passengers off at:	West Bridgewater	120	
	Bridgewater Center	114	
		234	
To Boston			
Passengers on at:	West Bridgewater	105	
	Bridgewater Center	176	
		281	
	TOTAL	515	





Table 6

BRUSH HILL TRANSPORTATION CO.

Stoughton Ridership For Tuesday, December 3, 1974

From Stoughton To Mattapan	n	From Mattapar To Stoughton	ı
Time Leaving	Number Of Riders From Stoughton	Time Leaving	Number Of Riders To Stoughton
7:00 A.M.	30	6:30 A.M.	6
8:00 A.M.	23	7:30 A.M.	9
9:00 A.M.	11_	8:30 A.M.	5
10:00 A.M.	16	9:30 A.M.	4
11:00 A.M.	6	10:30 A.M.	4
1:00 P.M.	5	12:30 P.M.	12
2:00 P.M.	8	1:30 P.M.	14
3:00 P.M.	14	2:30 P.M.	17
4:00 P.M.	6	3:30 P.M.	21
5:00 P.M.	3	4:30 P.M.	30
6:00 P.M.	<u> </u>	5:30 P.M.	54
7:00 P.M.	3	6:30 P.M.	14
	129		190



HUDSON LIMOUSINE SERVICE

Ridership for Tuesday, November 12, 1974

From Brockton To Logan		From Logan To Brockton	
Time Leaving	Number of Riders		mber of ders
5:30 A.M.	-0	8:15 A.M.	0
6:45 A.M.	· 1	9:15 A.M. 10:15 A.M.	0
7:45 A.M.	3	12:15 P.M.	0
8:45 A.M.	1	1:15 P. M. 2:15 P.M.	0
9:45 A.M.	0	3:15 P.M.	0
10:45 A.M.	<u>2</u>	4:15 P.M.	0
11:45 A.M.		5:15 P.M.	0
12:45 P.M.	0	6:15 P.M.	0
1:45 P.M.	0	8:15 P.M.	1
2:45 P.M.	0	10:15 P.M.	0
3:45 P.M.	0		4
4:45 P.M.	33		
5:45 P.M.	0		
6:45 P.M.	0		
7:45 P.M.	0		
8:45 P.M.	.0		
	10		



Copeland/Ashland Route


The Bus Passenger Survey conducted October 22, 1974 resulted in no passengers on the Copeland/Ashland run from 2:00PM until the service ended at 5:30 PM. It was therefore concluded by the staff that an On/Off count be conducted by a member of the staff. On November 20, 1974, the count was made, and Table 8 reflects the ridership for that period of time. Ridership estimates for the route were adjusted, using these statistics.

Table 8

Summary of On-Off Counts Used to Check On-Board Survey

Copeland	/Ashland	11/20	174	Rainv
CODETand,	/ VOIITGIIG	11/20	/ / ==	I/GTIIA


Time	Leaving	То	On Count	Hour Total
2:05	M and S	Copeland	6	
2:20	Copeland	Ashland	. 1	
2:50	Ashland	Copeland .	5	12
3:20	Copeland	Ashland	1	
3:50	Ashland	Copeland	7	8
4:20	Copeland	Ashland	3	
4:50	Ashland	M and S	0	3




Ridership by Time of Day

To assist in analyzing the need for vehicle size, the data collected from the On-Board Passenger Survey was summarized by hour. The summary was made by the time the bus left the terminus of the trip. That is, all buses on the Montello/Campello route leaving either Montello or Campello between 6:00 and 6:59 were accumulated for the 6:00 to 7:00 period. Figures 1 through 6 display the total ridership on each route by hour. Figure 7 is a summary of ridership by hour for all routes combined.

Figures 1 and 3 show that the Belmont/Pleasant Street and the Montello/Campello runs have the highest ridership in the city. In order to better determine the need for the size of new buses, it was decided to perform on/off counts on these two routes. The routes were laid out on a large-scale map and strategic points along the route were identified. The surveyor than recorded the number of people getting on and getting off the bus between each of these stops. Table 9 is the summary of the highest route runs from the Bus Passenger Survey. Figures 8 to 10 display the number on riders on board a bus at any one time.







BATS Bus Ridership Study
Trips per hour by route
October 22, 1974
Route - 1 Montello/Campello
Does Not Include School Runs


Number of Riders


100


















Number of Riders















19 Table 9 Highest Ridership by Route and Run


Route		Run	Number of Riders	
1	Montello/Campello	6:15 AM to Campello	24	
		7:15 AM to Campello	24	
		12:15 PM to Montello	24	
	48 Runs			
2	Centre/Crescent	1:15 PM to Centre	15	
		2:45 PM to Crescent	15	
	49 Runs			
3	Pleasant/Belmont	7:50 AM to Belmont	23	
		2:30 PM to Pleasant	25	
4	Perkins/Ames	2:50 PM to Perkins	15	
5	Copeland/Ashland	8:40 AM to Ashland Heights	10	
		9:40 AM to Ashland Heights	10	
6	Senior Citizen	11:00 AM to Main & School	26	
7	Brockton/Rockland	3:00 PM to Rockland	9	


















Ridership per Bus Mile

A reasonably well-established measurement of the efficiency and effectiveness of local bus service is the ridership per bus mile statistic which is easily calculated. Simply, it is the summary of passengers carried for an average day on a specific route divided by the total miles of bus miles needed to provide service. Miles include the deadhead miles, that is, the miles the bus must travel to start the revenue service from the garage, and the miles at the end of the day from revenue service back to the garage. Table 10 is a summary of passengers per route in-service or revenue miles and deadhead miles and the statistic ridership per bus miles.

The greater the ratio, the more effective the service. This statistic does not indicate the average number of people on the bus, which is related directly to the average trip length of the individual, but is used to indicate what the permile revenue of the route is in comparison to the cost of providing service on that route. That data will be developed in the future.


It is interesting to note from this data that the Montello/Campello route is the highest utilized route with a ratio of 2.6 and the Easton-Brockton is the lowest with a ratio of only 0.5.



24
Table 10
Ridership Per Bus Mile
Average Weekday October 1974

Route	Miles of Bus Operation In Service Deadhead Total		Riders (Survey)	Riders/ Total Miles	
Montello/Campello	255.4	2.6	258.0	680	2.6
Centre/Cresent	223.6	2.6	226.2	341	1.5
Pleasant/Belmont	245.3	5.0	250.3	489	2.0
Perkins/Ames	362.3	5.1	367.4	296	0.8
Copeland/Ashland	103.9	5.2	109.1	169	1.6
Brockton/Rockland	187.0	1.0	188.0	73	0.4
Senior Citizen	15.8	0.0	15.8	45	2.8
			1414.8	2093	1.4
Easton/Brockton (Unda)	136.7	?		74	0.5
Stoughton/Brockton (nda)	129.0	?		108	0.8
	265.7			178	0.7

Excludes school trip miles and riders



On-Board Survey Statistics

The On-Board Survey conducted resulted in approximately 1200 survey forms filled out, coded, keypunched and summarized for the study. Table 11 is a summary of a variety of statistics from the survey. Following are comments concerning those statistics:

How did you get to the bus stop?


Approximately 49% walked only one block while an additional 25% walked two blocks, accounting for nearly 3/4s of the riders. This statistic is very similar to statistics developed in other surveys, that is, if fixed-schedule service is provided, it must be within two city blocks of the user's place of residence. This statistic suggests that bus routes should be rather close together, approximately four blocks in the more heavily populated areas.

What is the main purpose of your trip?

Work trips accounted for 42% of the rider's travel. This is a considerably lower percentage than many areas similar to the Brockton area. Some areas are as high as 75%. From one point of view, it shows that service is being utilized throughout the day and the system is not built around the peak hours which lends itself to low revenue service in the off-peak hours and a large number of buses in the peak periods. It does suggest that there is a need to increase ridership in the peak periods for work trips.

Captive Ridership

Captive ridership is defined as that rider who has no other modal choice in making a trip other than using bus service. That is, it is an individual without a driver's license or without an automobile available, either of these for a variety of reasons. The statistics shown in the tables under "Do you have a driver's license?" and "If you have a license, was an automobile available for your use?" show that the captive ridership is at a minimum, 84% of the riders using the service. This is not unusual for operations the size of the Brockton area, but does emphasize the need to develop a system which will encourage non-captive riders or decision



riders to utilize the service.

What is your age

The 26% over 65 years old is a lower percentage than most staff members believed was the case.

What is your sex?

The 73% female is, to some extent, directly related to the "captive" rider type of statistic. That is, if cross tabulations were made, it is likely that a high percentage of the females would lack either the availability of an auto or driver's license. Many of them are probably the second worker in one car families or are individuals on shopping trips in families with only one car.




Table 11

Brockton Area Transit Study

Preliminary Summary of On-Board Survey for Crocker Transportation Co.

Riders on Day of Survey: 1754

Surveys Returned: 1144

65 % Returned

Results of Questions

How did you get to bus stop?

Walked one block 49% Walked two blocks 25%

Walked 3+ blocks 18%

Drove 4%

What is the main purpose of your trip?

Work 42%

Shopping 29%

School 8%

Medical 7%

Social 4%

Do you have a driver's license?

Yes 22%

No 78%

How many autos are available in family?

None 55%

One 31%


Two 10%

Three 3%


If you have a license, was an automobile available for your use?

Yes 16%

No 84%



How often do you take the	bus?
Daily	59%
1-4 times per week	20%
less	21%
What is your age?	
Under 14	2%
15 to 19	16%
20 to 24	8%
25 to 34	10%
35 to 64	39%
Over 64	26%
What is your sex?	
Male	27%
Female	73%



ANALYSIS OF HOME INTERVIEW



Home Interview Survey

Staff Paper No. 3 , "Home Interview Survey", documents the procedures, number of interviews per town, return rate, and other statistics concerning the Home Interview Survey. Table 12 displays specific statistics and data for the survey. The table shows that the average number of trips for a family is 7.8 trips for all modes, and 5.9 auto driver trips. This statistic is similar to trip generation statistics developed from similar types of surveys. The trip is defined as the movement from an origin to a destination as opposed to a round trip such as a trip from home to work and back home. That is defined as two trips in this statistic. The 5.9 auto driver trips per family multiplied by the total number of families in the study area would result in a total of 347,000 daily one way trips generated by the residents of the study area. This is an interesting statistic when compared to the total of 3733 average daily bus trips in the region.




Table 12

Home Interview Summary

Number of Home Interviews

Brockton	207
Easton	29
Whitman	14
Stoughton.	15
	265

	Total Survey	Brockton
All Trips	2,062	1,572
Auto Driver Trips	1,567	1,175
Auto Passenger Trips 1	438	353
Bus Trips	24	23
Walk to Work	32	22
Other Trips	3	3
All Trips/Interview	7.8	7.6
Auto Driver Trips/Interview	5.9	5.7

¹ Does not include children under 16




Table 13

Brockton Area Transit Study

Preliminary Home Interview Statistics


- Income	Number of Households	1/6
\$0 - 4999	37	14.6
5-7999	28	11
8 - 9999	24	9.4
10000-14999	72	28.4
15000-19999	56	22
20000 & over	37 254	14.6 100.0
No answer	<u>9</u> 263	

- Total Number of Bus Trips = 60
- Household with Licensed Drivers

Drivers	Number of Households	%
0	31	11.8
1	_. 54	20.5
2	124	47.1
3	38	14.4
4	11	4.2
5	3	1.1
6	<u>2</u> 263	100.0

- Autos Available by Household

Autos	Number of Households	%
0	31	11.8
1	96	36.5
2	106	40.3
3	25	9.5




- Autos Available by Household (continued)

Autos	Number of Households	_%_
4	3	1.1
5	<u>2</u> 263	0.8

- Structure Type of Interviewee

	Number of Inte	erviews %
Single family	171	, 65.0
2-3 family	51	19.4
Multi family	39	14.8
Trailer	1	• 4
Institution	<u>1</u> 263	100.0



Home Interview Statistics

Interviews by Structure type


Single Family	171
2 or 3 Family	51
Multi-Family	39
Individual Trailer	1
Institution	_1
·	263

Type of Living Quarters

House	205
Apartment	57
Institution	_1_
	263

Number of persons living in dwelling unit

One	37	
Two	59	Home Interview Average persons per Dwelling Unit =
Three	37	
Four	67	Census Data (1970) OCPC = 3.45 persons per D.U. Brockton = 3.21
Five	34	
Six	16	
Seven	3	
Eight	6	
Nine	2	



Number of persons in DU with driver's license

None 31

One 54 1.85 persons/D.U. have a driver's license

Two 124

Three 38

Four 11

Five 3

Six 2

How many blocks to the nearest bus stop

One 102

Two or Three 49

Four or more 112

How many autos available for family use

None 31

One 96 1.54 autos/D.U.

Two 106

Three 25

Four 3

Five 2

What is the range of annual income of family

\$0 to 4999 37


5000 to 7999 28

8000 to 9999 24

10000 to 14999 72

15000 to 19999 56


20000 and over 37



Brockton Area Transit Study

Summary of Home Interview Survey Comments

	Comment	Number of Comments			
Bus	Service				
1.	Improved Schedules and Frequency	45			
2.	Improved Bus Routing	6			
3.	Desire Smaller Buses	1			
4.	Improved Bus Service to Boston	8			
4.1.	Improved Rolling Stock	2			
5.	Improved School Bus Service	6			
6.	Satisfied with Present Service	4			
7.	Special Buses to Serve Elderly 5				
Tra	in Service				
1.	Improved Train Service	14			
Gen	meral Comments				
1.	Improve Downtown Traffic and Parking	7			
2.	Would Rather Use Auto	<u>7</u> 105			




LATENT DEMAND SURVEY




Brockton Area Transit Study

Partial Results of Latent Demand Survey

9.	possible t minutes, a five minut	nsit service o catch a bus nd walking d: es or less, v s/transit mon	s/trans: istance: would me re ofter	it at s to ember	least	every f	ifteen ops were
		Yes 379 60	0%				
		No . <u>254</u> 40	0%				
11.	How do you Check one:	rate existi Good No Opin	☐ Fa	ir			
		Good	40	6%			
		Fair	108	16%			
		Poor	214	32%			
		No Opinion	151	23%			
		Not Available	<u>150</u> 663	23%			
12.	What agend transit so Check one	:	e Bus C ation o t Autho	ompa f St	nies		ions of
		Private Bus Con	mpanies		224	35%	
		State			26	4%	
		Combination St	ate/Town		115	18%	
		Transit Author	ity		130	20%	
		No Opinion			<u>144</u> 639	23%	




3.	tax to	you tolera help supp one:		ansit ope	in local p rations? don't kn		
		Yes	109	17%			
		No	437	67%			
		Don't Kr	now 105 651	16%			
14.	which a. A	restricts duto driver	their trave	el as an: (numbe	have a hand r of person _(number of	s)	
		Auto Dri	ver	66 pe	rsons		
		Bus/trar	nsit Passenge	er 37 pe	rsons		
15.	you		of the fol	lowing fa	e, how impondetors? (Ple		
	a.	New Buses	Ī	mportant 18 %			
	b.	Benches at stops	most bus	30	32	38	
	c.	New Bus St	op signs	45	32	23.	
	d.	More frequ	ent servic	e			
		Rush h	our	78	15	7	
		Mid-da	У	25	53	22	
		Evenin	g	35	44	21	
		Weeken	d	26	45	29	
	е.	Passenger at major s		41	39	20	
	f.	Air-condit buses	ioned	21	34	45	
	g.	A bus tran informatio		57	32	11	
	h.	Cleaner bu	ses	56	38	6	
	i.	Lower fare	S	45	42	13	
	j.	Door to do	or service	11	31	58	



16. Please indicate your family's annual income.

Check one: 5 % 0-4,999 19 % 5,000-9,999

10,000 or %over




Brockton Area Transit Study


Latent Demand Survey

A mail out/mail back Attitude/Latent Demand Survey was conducted during August, September, and October, 1974. Staff Paper #4 summarizes the procedures and contains a copy of the questionnaire. The following pages contain some interesting attitudes toward bus service in the Old Colony region. Figure 11 is a display of specific bus improvement attitudes.










SURVEY OF ELDERLY ATTITUDES




THE BROCKTON AREA TRANSIT STUDY

THE CITY OF BROCKTON IS INTENDING TO APPLY TO THE FEDERAL GOVERNMENT FOR FUNDS TO PURCHASE NEW BUSES FOR THE CITY TRANSIT SERVICE. BUSES BEING CONSIDERED FOR PURCHASE INCLUDE ONES SIMILAR TO THE ONE ON DISPLAY HERE TODAY. TO HELP US IN OUR EVALUATION OF THE ADVISABILITY OF BUYING BUSES OF THIS TYPE WOULD YOU PLEASE ANSWER THE QUESTIONS LISTED BELOW.

WE ALSO HAVE A QUESTIONNAIRE REGARDING BUS SERVICE IN GENERAL. YOUR ANSWERS TO THOSE QUESTIONS WILL HELP US IN PLANNING FOR IMPROVEMENTS IN THE EXISTING BUS SERVICE. THANK YOU FOR YOUR COOPERATION.

THE CITY OF BROCKTON & THE OLD COLONY PLANNING COUNCIL

1.	Was the bus easy to board?	Yes 70	No2		
2.	Was there enough leg room between the seats?	Yes <u>67.</u>	No5		
3.	If you were carrying packages would the bus be easy to board?	Yes_59_	No <u>6</u>		
4.	Would a space set aside for packages be helpful?	Yes_60_	No6_		
5.	Are soft (padded) seats very important?	Yes_72_	Noo_		
6.	Does the age, style, condition, or looks of a bus affect your decision to use or not to use public transportation?	Yes <u>52</u>	No_21_		
Oth	Other Comments May Be Placed On The Back Side				




ELDERLY SURVEY

A special survey of the elderly was conducted to insure that the needs of this group would be represented in the Tech Study. A questionnaire was developed by combining questions from the LINKS survey form with the rating page from the Mail-Out survey form.

The survey was distributed at the Annual Senior Citizens Picnic held at the Brockton Fair Grounds on August 20, 1974. Distribution took place near a Mercedes-Benz bus which was on display. Several hundred forms were passed out at the picnic.


To insure wide coverage of the elderly, the forms were also distributed from the Senior Citizens Drop-In Center in Brockton and at several elderly housing projects.

A total of 78 elderly survey forms were returned.



Total During of ELDERLY SURVEY - 78 Intermeeus

7	Home Address		Paris	1-1-11			
. •	Street Number		. 10			Zi;)
2.	Age Group 9 60-64 15	65-69	70-74	37 75 c	r over		
3.	Do you own a car or have a		,		Yes Lail	VO	
4.	Do you have a handicap whi						
	a. · Auto Driver 17 Yes 2	1No. b. B	us/transit	passenger	15, Yes	42 No	
	Please indicate below when social/recreational trips, usual means of travel on t	how often	you make th	pping, med ese trips,	lical, and	2	
5.	SHOPPING TRIPS	w Many Time	s a Week	Mear	is of Tra	v el	
	Whore:	3-5 Menthly		Car Bu	ıs Walk	Other	Taxi
	_Westgate	2	1 46	5 4	5 4		a
	_East Side9	3 5	2 16	2 1	1 5		ł
	South Side	3	2 16	2 1	3 2		
		3 2	54	3 3	7 7		1
	Other 10	39 4	6	3 15 1	9 3	- 2	5
5.	MEDICAL TRIPS . Ho	w Many Time	es a Week		ns of Tra us Walk		Tari
	Where:	1-2 3-5	Monthly Rarely				
	Goddard Medical Area	1 2.	<u>ə</u>	6' 3	10 3		
	Brockton Hospital	3	1 1	s	?		1
	Cardinal Cushing Hospita	1 2		2	5		
	Doctor's office indowntown Brockton	12	7 4	31 5	00 5		a
	Other	3 1 21 3	2 4	8 5	7 -7	-	<u>ə.</u>
7.	SOCIAL RECREATIONAL TRIPS	ow Many Tim	os a Waak	Mea	ins of Tra	avel	
	Where:		i i		Bus Walk		Toxi
	Drop-in Center .	1-Z 3-5 May	hly Rorely 31	2	<u> </u>		1
	Senior Citizens Center	13 3	16	. 2	16 4		
	_Other	8 1 1	10	. 1	9 2		



0	How do you	rate existing bus	s service: 19	Good '3	Fair 11 Poor
Ŭ.	HOW GO YOU	late existing bu.	a vici Aioce		In the second


9.	With regard to bus/transit service, how you rate each of the following factors:	important do (Please mark
	one choice for each item.)	
	Office choice for each reamy	

Offic		Very Important	Fairly Important	Not Important
a.	New Buses	2.8	23	_7_
b. ·	Benches at most bus	44	. 10	_6_
С.	New Bus Stop signs	43	7	_3_
d.	More frequent servi	ce 29	6	<u>n</u>
	Rush hour		to a parameter of	
	Mid-day	2,2	7	_3_
	Evening	14	3	_5_
	Weekend	23	.5	3
e.	Passenger shelters at major stops	39_	3_	5
.c	Air-conditioned buses	19	15	16:
g.	A bus transit information service	a 35.		3
h.	Cleaner buses	7 1	. 16	3_
i.	Lower fares	11_	12	13
j.	Door to door servi	ce <u>25</u>	_5	

10. COMMENTS

See orineriad page


Please drop your completed survey off at the OCPC booth or mail to:



45 Brockton Area Transit Study

Summary of Elderly Survey


General Comments	Number
Dependable, more frequent service needed	10
Drivers helpful and friendly	1
Door-to-door service important for Senior Citizens	1
Senior Citizen reduced fare good	2
Bus shelters needed -	2
Good transportation important for city/town	1
Specific Comments	
Bus needed on Plain Street	1
More buses needed on Kennedy Drive	2
Bus needed on Belair Street	1
Bus needed on Prospect Hill	2
Bus needed on Earle Street to stop at Community Building	3
Should be able to ride to Belmont without an extra fare	1
Bus needed to Westgate Mall for food shopping	g 2
Like Saturday food shopping bus (Earle St.)	1
Need longer stop light in front of Caffrey Towers to accommodate show walkers safely	1



Brockton Area Transit Study

Specific Comments from Elderly Survey

- Please continue the bus service.
- How about a Kennedy Drive bus for working people at about 4:30 PM.
- How about a Kennedy Drive bus for working people? It's about time you thought of us.
- I think they should have a Senior Citizen Bus from Chatham West at least once a week, as it's far for a 70-year old to walk.
- Let's have a bus on Sundays.
- We need buses on Sundays from 8 AM to 6 PM.
- We need later service to the Mall.
- Buses should run later than 5:30 PM for people returning from Boston.
- I don't go out at night or on holidays because there is no bus to get there.




SPANISH SURVEY


A special survey was also conducted to provide for Tech Study input by the Spanish speaking residents of the region. The questionnaire which had been developed for the elderly was adapted for the Spanish survey by expanding the age range and asking a question about place of employment.

The questionnaire was then translated into Spanish by the staff of the Asociacion San Martin de Porres.

An OCPC staff member explained the Tech Study and survey to a meeting of the Asociacion held on the evening of September 27. The questionnaires were then distributed by Asociacion staff. A total of 13 Spanish survey forms were returned.



1.	Home Address	. Town Zip
		35-5768-64-
2.	Age Group 00-04	
3.	· · · · · ·	
4.		·
	a. Auto Driver Yes 12 No b. Bus	
	Please indicate below where you usually social/recreational trips, how often you usual means of travel on these trips.	make shopping, medical, and our make these trips, and your
5.	. SHOPPING TRIPS How Many Times	a Week Means of Travel
	Where: 1-2 3-5 Menthly R	Car Bus Walk Other
	Westgate 5 (2 3 3
	East Side Z	1
	South Side	
	Downtown Brockton 4 Z	3 1
	Other	1 2
	there are a second seco	
٤.	. MEDICAL TRIPS How Many Times	a Week Means of Travel Car Bus Walk Other
	Where: 1-2 3-5 H.	mithly Rarely
	Goddard Medical Area	3 . 1 2
	Brockton Hospital 2 1	
	Cardinal Cushing Hospital	2 1
		Z
	downtown Brockton	• • •
	Other	
7.	SOCIAL RECREATIONAL TRIPS	A Comment
•	Where:	s a Week Means of Travel Car Bus Walk Other
	Drop-in Center . 1-7 3-5 Manha	y Rorely 1 1
	Senior Citizens Center	
	Other	




- 8. How do you rate existing bus service: 1 Good 2 Fair 7 Poor
- 9. With regard to bus/transit service, how important do you rate each of the following factors: (Please mark one choice for each item.)

one	choice for each ite	em.) Veny	Fairly	Not
		Important		
a.	New Buses	_6_	3	distribusioni .
b.	Benches at most bus	6	. 2	-
С.	New Bus Stop signs	6	3	
d.	More frequent servi	ce	***************************************	Orandon communicado
	Rush hour	5	Quantitrative and splitting	Agramenta-quint-recovering
	Mid-day	3		Финанскийнариар
	Evening	3		Greenhavenhillensaya
	Weekend	6		
e.	Passenger shelters at major stops	4	4	
f.	Air-conditioned buses	-	4	3
g.	A bus transit information service	7.	* Destruction of the second	- Georgia - Allindria - Al
h.	Cleaner buses	6		dynamic operation of
i.	Lower fares	6		(produces produces)
	Danie die die	- 1	7	

10. COMMENTS


Door to door service 6

Please drop your completed survey off at the OCPC booth or mail to:



SPANISH SURVEY COMMENTS

- In this community it is very difficult to transport since no car is available and a taxi costs too much.
- Need bus drivers that speak Spanish. Have no money for translator.
- Difficult to get bus schedule for both Boston and Brockton.
- Transportation is very poor. Have to walk to far to bus stop.
- Bus drivers should speak Spanish.
- Need transportation to jobs.








BUILDINGS AREA TRANSPER STORE

Territorial New County Street

[Total Street Property County Street





Technical Memorandum #3


Financial and Equipment Analysis

Brockton Area Transit Study

Old Colony Planning Council


City of Brockton

Urban Transportation Systems Associates, Inc.



Financial and Equipment Analysis

Table	e of Cont	ents														Page
Fina	ncial Ana	alysis	5													
	Historia	cal Da	ata		•	•	•	•		•		•		•	•	1
	Revenue	•			•	•	•	•			•	•	•		•	2
	Costs	•		•	•	•		•	•	•	•	•	•		•	9
	Present	Opera	ation	1	•	•		•	•		•		•	•	٠	11
Equip	pment Ana	alysis	5			•				•	•	• -	•			17
	Brocktor	n Tran	spor	tati	on I	Autho	rity	,	•		•		•		•	17
	Intersta	ate Co	oach			•						•			•	19



Introduction

It is the purpose of this Technical Memorandum to gather together financial and equipment statiscs and to preform an initial analysis of that information.

This data will be further detailed and analyzed in subsequent tasks and will be presented in more detail in later documents especially the Transit Development Program.

Financial Analysis


History of Bus Service in Brockton (from 11/10/74 meeting)

Prior to the City taking over, there were 16 buses in the fleet - 12 on the road.

After City took over, there were 6 buses in the fleet; now there are 9 buses.

Union Street Railway had very low ridership:

- They grossed approximately \$520. per day over a 3-year period with 30¢ fares.
- Now the system is grossing almost \$500. with a 25¢ regular fare and a 15¢ senior citizen fare.
- Union Street Railway 1972 deficit was approximately \$130,000.
- City deficit for 9/1/73 to 6/30/74 (10 months) was approximately \$75,000.
- Union Street Railway requested a subsidy of \$140,000 plus \$27,000 for senior citizens.




Revenue

Figure 1 displays the revenue for the average day of the week, starting with August 5, 1974, and running to January 31, 1975. This does show an increase in revenue over that period of time.

Figure 2 shows total weekly revenue receipts, and as in Figure 1, shows an overall increase for the period. This increase is not due to increases in the level of service, because basically there have been none. The increase is probably due to the Transit Authority's reacting to the needs of the public with respect to minor changes in routing, the two new mini-buses, and the public's increased need to use transit rather than to spend money on auto travel.

Figure 3 shows the revenue by day of the week.

For service provided by Interstate Coach, the study was able to obtain financial data from the Town of Easton. Easton subsidizes the Interstate operation within the town. Figure 4 displays the number of passengers boarding in Easton.



All Routes

Excluding Rockland Route






Figure 1








Weekly Receips

Week of



Sat.

- रियम


Thurs.

Wed.


Tues.


Mon


009



Keceipts in Dollars








Receipts - Monday, February 3, 1975

	Minimum Number of Riders if		
Income	All Pay .25¢	<u>23.6¢</u>	21.5⊄
Ames and Perkins \$ 43.30 $$28.25$ in $25¢ = 113$ minimum full pay riders	173	183	201
Crescent and Center 81.55 \$59.00 in 25¢ = 236 minimum full pay riders	325	346	379
Grafton and Ashland Heights 11.75 \$11.75 - 25¢ = 47 minimum riders	5 47	50	55
Senior Citizens 10.00 \$10.00 - 15¢ = 66 riders) 66 ¹	66	66
Belmont and Pleasant 148.20 \$121.50 in 25¢ = 486 minimum full pay riders	593	627	689
Montello and Campello 188.20 \$131.25 in 25¢ = 525 minimum full pay riders	753	797	875
\$ 483.00	1957	2069	2265

¹ Exact number of riders



Crocker Transit Company Ridership

October 22, 1974 Survey

T.A. Regular Routes 1754

Rockland 73

Student Tripper 372

Senior Citizen Run 45

Revenue


	October 22, 1974	February 3, 1975
Total Income	\$ 478.00	
Transit Authority	414.65	\$ 483.00
Tickets	12.00	
Rockland	51.35	
Ridership excluding Rockland	1754	2046

On-Board Statistics ...

8% were school = 146

 $\frac{26\%}{34\%}$ were over 64 years of age = 475

Average Fare = 34% (15¢) + 66% (25¢) = 21.5¢



Transit Authority Service Analysis for December 1974, January 1975 (Data does not include school tickets)

Average Monthly Revenue for December 1974-January 1975 \$ 10661.

Average Monthly Revenue for September, October, November 1974

9617.

Total Revenue December 1974-January 1975 \$21324.45

Total Weekday Revenue

19202.95

Average Weekday Revenue (44 days)

436.43

Total Saturday Revenue

2121.50

Average Saturday Revenue (8 days)

265.18

Average Daily Riders at 21.5¢ average fare

Weekdays 2030

Saturday 1233

Bus Miles of Service (TA only)

Average Weekday 1240.3

Average Saturday 542.0

Total Bus Miles of Operation

Weekday - 1240.3 miles x 44 days = 54573.2 miles

Total - 58909.2

Saturday - 542 miles x 8 days = 4336.0

Revenue per bus mile of service:

\$21324.45 58909.2miles =

.3620


Subsidy per bus mile of service:

\$18600 58909.2miles

.3157

Other City costs:

 $\frac{\text{Ins. and fuel}}{58909.2 \text{ miles}} = \frac{\$2880 + 7000}{58909.2} = \frac{0.1677}{0.846/\text{bus miles}}$



Costs per passenger served (excludes school trippers)

Total Passengers

$$\frac{$21324.45 \text{ (rev.)}}{21.5 \text{ (avg.fare)}} = 99100 \text{ passengers}$$

Total Cost for Service:


Annual Hours of Operation (TA only-excluding school)

303,52.4 hours

Dec. 74, -Jan. 75 Hours 5095.2

Total cost of service

$$\frac{$49,804.}{5,095.2} = $9.77$$




Projected Budget

BROCKTON TRANSIT AUTHORITY

December 1, 1974 - June 30, 1975

Outlays

4	
Subsidy: To Crocker Transportation Services, Inc.	
9,300/month @ 7 months =	\$ 65,100.00
<pre>Insurance: Bodily injury, property damage, fire and theft.</pre>	6
yearly premium, 1/75 - 12/75 December 74 premium	17,284.33 1,440.36
<u>Fuel</u> : 7 months @ 3,500/month =	24,500.00
Projected gross outlays	\$108,324.69
Anticipated Income	
Insurance policy rebate	
6 months	8,642.17
State aid (ch. 1141)	49,841.26
Net cost to City	\$ 49,841.26
Net Monthly Cost to City	\$7,120.00



Crocker Transit Company Contract Prior to December 1, 1974

City Pays

Fuel

Repairs

Capital - buses, tires, fare boxes

for \$71,000 for 10 months.

Crocker pays out of fare boxes

Labor

Management

Overhead

Storage

Routine maintenance

New Contract Starting December 1, 1974

Council order to sell equipment to Authority

Crocker request license

Authority to contract with Crocker

Important Dates

January 1, 1973 to September , 1973 - operator strike

September 1, 1973 City took over service (bought out Union Street)

to November 30, 1974 - Contract with Crocker

- Transit Authority formed


New Contract for December 1, 1974 to July 1, 1975

City to pay Crocker \$80,000

\$47,600 = \$6800/month fuel and repairs

21,000 = fuel

10,000 = insurance (none before because city insured itself)



Current Monthly Costs - Brockton Transit System

December 1974

				1
Co	S	t	S	

2			
Driver labor		\$13,606	
Clerical	4	600	
Storage and Cleaning		1,000	
•		\$15.206	
Overhead (management, office,			
auditing)		1,521	
TOTAL Monthly Costs		\$16,727	\$16,727

Revenue


Ave	rage m	onthly	fairbox	revenue	3		\$10	000,0	
Mon	thly d	leficit				-	\$ (6,727	

Costs Paid by City

Monthly subsidy Fuel Maintenance	\$ 6,800 3,500 3,000
NET Monthly Cost to City	\$13,300

¹These costs are paid by Crocker.


²Driver costs based on 16 men at \$4.12/hr. plus 20% for fringe and overhead.



Ridership Per Bus Mile
Average Weekday

	Miles o	f Bus Op Dead	eration	Riders	Survey	Rider: Total Mil	
Route	Service	Head	Total	Oct. 74	Feb. 75	Oct. 74	
Montello/Campello	255.4	2.6	258.0	680	797	2.6	3.1
Centre/Cresent	223.6	2.6	226.2	341	346	1.5	1.5
Pleasant/Belmont	245.3	5.0	250.3	489	627	2.0	2.5
Perkins/Ames	362.3	5.1	367.4	296	183	0.8	0.5
Copeland/Ashland	103.9	5.2	109.1	169	50	1.6	0.5
Brockton/Rockland	187.0	1.0	188.0	73	80	0.4	0.4
Senior Citizen	15.8	0.0	15.8	45	66	2.8	4.2
			1414.8	2093	2149	1.4	1.5
Easton/Brockton (Unda)	136.7			74		0.5	
Stoughton/Brockton (Unda)	129.0			108		0.8	
(onda)	265.7			178		0.7	

Excludes school trip miles and riders



Interstate Coach Company Easton/Brockton Route

Statistics for November and December 1974 for that part of the service provided within the Town of Easton:

.

Total Ridership 2169

Total Subsidy \$ 2456.00

Total Revenue 1075.25

Total Income \$ 3531.25

Average fare per passenger \$ 0.50

Subsidy per passenger 1.13

Cost per passenger \$ 1.63


Daily revenue miles in Easton 71.0

Total miles of service for November and December

50 days x 71.0 miles/day = 3550 miles

Per mile cost of revenue service = \$0.99

Passengers per revenue mile = 61



Summary of Contract Between the Town of Easton and Unda's Bus Service, Inc. to Provide Fixed Route Service in the Town of Easton


- 1. Carrier shall furnish public transportation daily except Sundays and legal holidays in the Town of Easton and between the Town of Easton and the City of Brockton with a minimum of 6 round trips daily.
 - 2. The contract period is from July 1, 1974 to June 30, 1975.
 - 3. Amount of money
 - will not exceed \$52 for any day of operation, and
 - will not exceed \$14,987.50 total.
 - 4. Determination of amount of money:

The carrier requires a minimum daily revenue of \$72 and the Town will make up the difference, not to exceed \$52 per day.

5. Insurance

The carrier carries motor vehicle liability insurance on each bus in the amount of \$25,000 per person, \$100,000 per accident, and \$10,000 property damage insurance per accident.

- 6. The carrier furnishes buses to meet minimum safety standards required by the Commonwealth.
- 7. Fare Structure
 - If an individual gets on and off within the Town of Easton, the fare is \$.30.
 - If an individual gets on in Easton and gets off in Brockton, the fare is \$.50.
 - If a passenger gets on in Brockton and gets off in Easton, the fare is \$.50. However, this passenger is not considered in the passenger count for Easton, and therefore his revenue is not discounted against the Easton subsidy.



Equipment Analysis

Brockton Transportation Authority and Crocker Transportation Services, Inc.

Garage Facility

The present bus garage and storage facility is leased by Crocker for \$1500.

per month. The garage is brick with an inside truss roof with offices on the front of the facility (not leased by Crocker). The garage itself is 12,800 square feet, and will accommodate 15 large buses. The garage is used for repairs and cleaning and contains small vehicle floor lifts. The paved yard adjacent to the garage contains 16,000 square feet and will store 25 large buses. Crocker recently considered purchasing the entire facility for approximately \$300,000.

Maintenance Equipment

Cleaning

The operator has a engine steam cleaning machine and cleans the engines of his own buses and the transportation authority buses about once a month, required because of all of the dirt that is accumulated from the operation. A new steam cleaning machine will cost approximately \$700.


The operator presently washes each bus about twice a week with a highpressure hose washer and suggests that the transportation authority consider an
indoor drive-through washer for approximately \$17,000.

The operator presently has a vacuum machine for the interiors of the vehicles and recommends that a new vacuum be purchased.

Bus Repair

The operator presently has three small-bus floor lifts and would prefer to have a pit for repairs, however by State statute, pits are illegal in his type of operation. He recommends that two large-bus floor lifts be purchased and installed for approximately \$15000. each.

Consideration should be given to the possibility of purchasing machinery to turn brake drums and to retread tires.



Parts Inventory

The operator estimates that new buses would require an inventory of standard parts for about \$10,000.

Heaters

For those vehicles held outside in colder weather, there is a need for engine plug-in heaters at a cost of \$300. apiece.

Coin Machines

The purchase of a coin-counting and wrapping machine would speed up office work and the cost would be approximately \$1,000.


Rolling Stock

Pases owned by the Brockton Transportation Authority and leased to Crocker Transit

November 4, 1974

Leased Equipment

Dus aber	Manufacturer	Year	Model	Serial Number	Number of Seats
7401	Flxible	1974	572KE-F 74-1 9	FX-614	23
7402	Flxible	1974	572KE-F 74-19	FX-622	23
-175	GMC	1962	TDH4517	1748	$\mathcal{L}_{x}^{c} \mathcal{L}_{x}$
~75	GMC	1962	TDH4517 .	1749	ار ک _ه کړ
-78	GMC	1962	TDH4517	1751 .	. 44
-79	GMC	1962	TDH4517	1752	44
			· • • • • • • • • • • • • • • • • • • •		
	GMC	1955	TDH5105	1290	51
	GMC	1955	TDH5105	1297	51
	GMC	1955	TDH5105	1298	51. !



Interstate Coach Company

The Interstate Coach Company operates service from Stoughton Center to Brockton Center through Westgate Mall and from Easton to Brockton. The Easton to Brockton run is subsidized by the Town of Easton. The company uses a fare box with a meter and records the fares when it crosses the Brockton-Easton town line in each direction. The company uses those passenger counts to bill the Town of Easton.

Interstate Coach uses locked, exact-fare boxes on the Stoughton run.


Garage Facilities

The company garage is located in Stoughton Center and contains eight bus bays. The bus bays are large enough to store one large coach or two 22-seat coaches. The garage is equipped with a repair pit.

Rolling Stock

The company runs only the two local routes previously mentioned. The rolling stock used in the operation is:

Use	No.	Year	<u>Make</u>	Type	Seats
Easton	٦	1972	Carpenter	Gas	. 22
Stoughton	1	1973	GM Transit	Diesel	33
Backup	1	1961	GMC _.	Diesel	41
Backup	1	1951	GMC	Diesel	45







M 655, V3, J-1 2B78/2/no.4



MENO 4

DRUGING AR ATTOMASTY STORY

Wileson Town

SECRETARIA DEVELOPMENT PLAN

THE RESERVE OF SECURITION ASSESSMENT



BROCKTON AREA TRANSIT STUDY

SEQUENTIAL DEVELOPMENT PLAN

(Year 1 - Year 5 Improvements)

May, 1975

Old Colony Planning Council
City of Brockton

Urban Transportation Systems Associates, Inc.




I. Introduction

In the process of conducting the Brockton Area Transit Study, a detailed investigation was made of the present bus systems in the region and the quality of service was examined. In addition, some generalizations were made concerning the steps that could, or possibly should have been taken to encourage ridership in the system which presently exists.

As the study continued, a variety of alternative fifth-year development plans were considered and a number of them discussed and analyzed in detail. The study Steering Committee, JTC, and the Council finally adopted one of the alternatives (commonly referred to as 1B, Radial Fixed Route Service) which is now being used in this analysis to develop an improvement plan for each of the five years.

This sequential plan points out in detail the improvements that should be made to the system for each of the five years. Primarily, it addresses the capital improvements which should be made, but in addition, it also addresses non-capital improvements such as information and promotion programs which are so important to the success of the system.

It is important to realize that any of the improvements which are made, such as the initiation of bus service in a corridor where it has not existed, or the improvement of frequency on an existing line from 30 minutes to 15 minutes is, in fact, a test. That is, an effort has been made to predict the results of that improvement, but these estimates are not made with hard, pure scientific data. Therefore the actual implementation of the improvement must be continually monitored and revisions must be made to the plan periodically. This sequential plan with its recommended improvements on a yearly basis, will require continual review, update and modification. To work on that effort, OCPC is including in its next Unified Transportation Work Program a task to monitor the improvement program.



First Year

City of Brockton is the only member of the Transit Authority, therefore:

- Substantially improve fixed route service in Brockton to
 - 15-minute frequency all day on 6 primary routes,
 - 15-minute frequency in peak periods, and 30-minute frequency in off-peak periods on 4 secondary routes.
 - 30-minute frequency all day on 3 secondary routes.
- Purchase and install other necessary equipment.
- Conduct extensive promotional program.
- Initiate information system.
- Revise fare structure, passes, coupons, free elderly service.
- Purchase land and construct downtown terminal.

Second Year

- Extend fixed route service to Avon, Easton, and Stoughton at 30 minute frequency.
- Provide demand-responsive service for elderly and clients of needy agencies in Brockton (agencies to underwrite service).
- Replace four 1962 buses.

Third Year


- Extend fixed route service to Whitman, Bridgewater, and West Bridgewater at 30-minute frequency.
- Provide demand-responsive service to Avon, Easton, and Stoughton if these communities desire service.

Fourth Year


- Extend fixed route service to Abington with 30-minute frequency.
- Provide demand-responsive service to Whitman, Bridgewater, and West Bridgewater.

Fifth Year

- Replace two 1974 small buses.
- Add demand-responsive service to Abington.



FIVE YEAR SEQUENTIAL PLAN






In the process of developing the sequential plan for the five-year period after the alternatives had been adopted by the Steering Committee, the staff thought it appropriate to separate the equipment and financial needs for the fixed route service from the equipment and financial needs of the demand-responsive phase of the plan.

The primary reason for this separation was the attitude on the part of the staff that the local communities reviewing the recommendations would be most concerned in looking at the financial requirements of each pahse of the recommendations separately. That is, the staff would prefer to look at the costs for fixed route service separately from those of the demand-responsive service and if it wished to see the total cost to each community, it would only have to add the two services together. Therefore, the following tables separate the two phases.

Table 1 shows the equipment needs for fixed route and demand-responsive service. The fixed route needs are in the left-hand column and the demand responsive needs are in the right-hand column. Further, the table breaks down the equipment needs by year over the five-year period. Table 2 is a cost summary of the capital improvements for fixed route service and Table 3 is the cost summary for demand-responsive service.

Although it has been recommended that the demand-responsive service and equipment be owned and operated through the Transportation Authority, the staff has recommended that the demand-responsive buses serve as feeder buses to the fixed route service and that the buses be housed in the town sponsoring the bus. However, the bus would be serviced and maintained by the Transportation Authority at its storage and maintenance facility.



Sequential Capital Improvement Program

Fixed Route System		Demand-Responsive System	
	FIRST Y	EAR	
Buses Brockton 6 routes - 2 each 4 routes - 2 each 3 routes - 1 each Spare buses Service Vehicle - 3/4 to truck Two-way Radios Bus Stop Signs Shelters Benches Maintenance Equipment	12 lg buses 8 sm buses 3 sm buses 23 buses 2 flexettes 4 1962's 29 buses	No First Year Recommendat	ions
	SECOND Y	EAR	
Buses			
Easton-30 min frequency Avon-30min frequency Stoughton-30min freq. Replace spare buses 1962's Locked boxes	1 sm bus 1 sm bus 4 sm buses	Buses (with lifts) Brockton	2 sm buses
Locked boxes	4	Locked boxes	2
Radios	4	Radios	2
Bus Stop Signs Easton - 82 Avon - 57 Stoughton - 57	196		
Shelters	8		
Benches	5		





Table 1 (Cont.)

Sequential Capital Improvement Program

Fixed Route System		Demand-Responsive Syst	cem
	THIRD YEAR		
Buses		Buses (with lifts)	
Whitman-30 min frequency Bridgewater-30 min freq W. Bridgewater-30 min freq	1 sm bus	Easton Avon Stoughton	1 sm bus 1 sm bus 1 sm bus
Locked boxes	3	Locked boxes	3
Radios	3	Radios	3
Bus Stop Signs	156		
Whitman - 64 Bridgewater - 62 W. Bridgewater - 30			
Shelters	10		
Benches	5		
:	FOURTH YEAR		
Buses		Buses (with lifts)	
Abington-30 min frequency	1 sm bus	Whitman Bridgewater	l sm bus
Locked boxes	1	W. Bridgewater	1 sm bus
Radio	1	Locked boxes	3
Bus Stop Signs	65	Radios	3
Shelters	2		
Benches	6		
	FIFTH YEAR		
Buses		Buses (with lifts)	
Replace 2 '74 flexettes	2 sm buses	Abington	1 sm bus
Service Vehicle - Replace	truck	Locked bus	1
		Radio	1



Capital Improvement Program Summary
Fixed Route
(1975 Dollars)

						Program	Year			
	First	st Year	Second	i Year	Third	Year	Fourth	Year	Fifth	Year
Item	Units	Cost	Units	Cost	Units	Cost	Units	Cost	Units	Cost
Buses										
35-45 Passenger @\$60,000	12	\$720,000								
20-25 Passenger @ 25,000	11	275,000	ω	\$200,000	m	\$75,000	П	\$25,000	2	\$50,000
Service Trucks @ 7,500	-	7,500							-	7,500
Supervisory Cars										
Communications Equipment										
Transceivers @ 6,000	-	000'9								
Mobile Units @ 1,200	30	36,000	4	4,800	m	3,600	Н	1,200		
Passenger Shelters @ 2,400	10	24,000	ω	19,200	10	24,000	7	4,800		
Bus Stop Signs @ 50	400	20,000	196	008'6	156	7,800	65	3,250		
Benches @ 150	50	3,000	Ŋ	750	Ŋ	750	Ø	006		
Fare Collection Equipment	**************************************									
Boxes @ 1,400	30	42,000	4	2,600	m	4,200	٦	1,400		
Counters @ 3,000	-	3,000								
Garage										
Building Acquisition				325,000						
Equipment		27,800								
Passenger Terminal		250,000								
Contingency 10%		141,430		56,515		11,535		3,655		5,750
Total		\$1,555,730		\$621,665		\$126,885		\$40,205		\$63,350



Capital Improvement Program Summary
Demand-Responsive
(1975 Dollars)

					Program	Year				
	First	Year	Second	Year	Third	Year	Fourth	h Year	Fifth	Year
Item	Units	Cost	Units	Cost	Units	Cost	Units	Cost	Units	Cost
Buses 15-25 Passenger With Lifts @ \$30,000			8	000,09\$	т	\$90,000	ю	000,008	Н	000,08\$
Service Trucks										
Supervisory Cars										
Communications Equipment Transceivers Mobile Units @ \$1,200		-	N	2,400	т	3,600	м	3,600	Н	1,200
Passenger Shelters					,					
Bus Stop Signs									•	
Benches										
Fare Collection Equipment Boxes @ \$300 Counters			7	009	m	006	т	006	Н	000 %
Garage Building Acquisition Equipment										
Passenger Terminal										
Contingency 10%				6,300		9,450		9,450		3,150
Total		0		\$69,300		\$103,950		\$103,950		\$34,650





Table 4
Sequential Plan Operating Statistics
Years 1 Through 5

Excludes Demand-Responsive Service

Excludes	Demand-Res	phonerve ser			
Year	11	2	3	4	5
Weekday Route Miles	78.3	105.5			
Daily Revenue Miles	3,344.4	4,105.8	4,542.8	4,724.8	4,724.8
Annual Revenue Miles	923,054.4	1,133,200.8	1,253,812.8	1,304,044.8	1,304,044.8
Number of Buses in Operation 1	23	27	30	31	31
Small	11	15	18	19	.19
Large	12	12	12	12	12
Annual Hours of Operation	78,936	94,392	102,120	105,984	105,984
Assumed Ridership					
Average Weekday	5,143	6,045	6,638	6,997	7,175
Annual	1,419,468	1,668,420	1,832,088	1,931,172	1,980,300
Weekday					
Productivity Factor	1.54	1.47	1.46	1.48	1.52
Annual Operating Cost	\$789,360	\$937,460	\$1,071,460	\$1,127,360	\$1,127,300
Administrative Cost	\$50,000	\$50,000	\$50,000	\$50,000	\$50,000
Bonding	\$82,500	\$82,500	\$82,500	\$82,500	\$82,500
Total Annual Costs	\$921,860	\$1,069,960	\$1,203,960	\$1,259,860	\$1,259,860
TOTAL IMPACT COSES	4321,000	41,005,500	Q1,203,300	71,233,000	71,233,000
Annual Revenue	\$283,894	\$333,684	\$366,418	\$386,234	\$396,060
Innact Revenue	7203,034	4333,004	7300,410	73007234	43307030
Deficit (Total) ²	\$637,966	\$736,276	\$837,542	\$873,626	\$863,800
70220 (10001)	703,7300	7/30/2/0	40377312	1	1
Total Deficit					
Suburban Towns	0				\$249,200
Dabatban 10wns	<u>-</u>				72137200
Suburban Share					
50% State 50% Local	0				\$124,600
Jos Blate Jos Botal			-		7124,000
Suburban Share 25% Local					
50% Federal 25% State	0				\$62,300
50° Tederal 25° State					1
Total Deficit					
Brockton	\$637,966				\$614,600
DEGENERAL	7037,300				7014,000
Brockton Share					
50% State 50% Local	\$318,983				\$307,300
Job Beate Job Hocal	7510,505		1		7307,300
Brockton Share 25% Local					
50% Federal 25% State	\$159,492				\$153,650
Journal 250 Deace	71331732	1		1	4133,030

l Excludes spares

² Total deficit to be funded from a number of sources



Demand-Responsive Costs - By Town

Year 5

	Brockton	Avon	Abington	Easton	Bridgewater	W. Bridg.	Stoughton	Whitman
Average Weekday Bus Hours	28,	14	14	14	14	14	14	14
Average Saturday Bus Hours	77	7	7	7	7	7	7	7
Annual Bus Hours	7,600	3,800	3,800	3,800	3,800	3,800	3,800	3,800
Average Fair	.35	.35	.35	,35	.35	.35	.35	. 35
Assumed Origins/Hour	15	8	7	7	, 7	. 0	80	7
Assumed Annual Ridership	114,000	30,400	26,600	26,600	26,600	22,800	30,400	26,600
Annual Revenue	\$39,900	\$10,600	\$9,300	\$9,300	\$9,300	\$8,000	\$10,600	\$9,300
Annual Operating Cost (\$11.50/Hr.)	\$87,400	\$43,700	\$43,700	\$43,700	\$43,700	\$43,700	\$43,700	\$43,700
Annual Deficit	\$47,500	\$33,100	\$34,400	\$34,400	\$34,400	\$35,700	\$33,100	\$34,400
Town Share 25%	\$11,900	\$8,300*	*009,8\$	\$8,600*	\$8,600*	*006,8\$	\$8,300*	\$8,600*

^{*}Federal funds may not be available for demand-responsive service outside of the urban area unless fixed route service connects it to the urban area



Table 6


ESTIMATED PROJECT BUDGET

1.	Purchase of 12 new 33 passenger buses		\$720,000
2.	Purchase of 11 new 19 passenger buses		259,600
3.	Purchase and installation of a two-way radio communication system		32,000
4.	Purchase of 30 new fareboxes		39,725
5.	Purchase of 20 new bus stop benches		3,000
6.	Purchase of 10 new bus shelters		24,000
7.	Purchase of 400 new bus stop signs		8,000
8.	Purchase and installation of 150 sign posts		12,000
9.	Purchase of one 3/4 ton service truck		7,850
10.	Purchase of one new steam cleaner		700
11.	Purchase of one new portable bus washer		5,000
12.	Purchase of one new vacuum cleaner		700
13.	Purchase of one new coin counter		2,700
14.	Purchase of metric tools		1,700
15.	Purchase of spare engines and transmissions		15,400
16.	Purchase of office equipment		4,300
17.	Design and construction of downtown terminal		73,140
18.	Installation of 10 bus shelters		2,500
19.	Purchase of land for downtown bus terminal		170,350
20.	Administration, specifications, advertising,	etc.	20,000 \$1,402,665
	Federal Share \$1,234,345 Local Share \$ 308,586	10%	140,266
			\$1,542,931

1 1 7







ACME BOOKBINDING CO., INC.

OCT 5 1990

100 CAMBRIDGE STREET CHARLESTOWN, MASS.

